

# SOCKET SETS

## Teng Tools socket sets

Teng Tools socket sets are organised in cases with functions and benefits that will make your daily work easier. When designing the box we have concentrated on making it practical, durable and easy to transport and work with. Besides, it's stylish too...



- Retractable handle, especially designed for comfort and durability.
- Secure lock system with click mechanism so you know the top is closed properly.
- The divider, which keeps the tools in place, is attached by a hinge on the outer edge so it can be moved to one side when using the tool set.
- Hard-wearing hinge with metal pin for increased life.
- Rubber feet to prevent the box from sliding and which protects against scratching.
- Distinctive branding to show your choice of Teng Tools.
- Easy and clear layout makes it easier to see which tools are missing when the work is done.
- Fully recyclable packaging to protect the environment.





1/4” Drive Socket Sets

M1413N1 1/4” Drive Socket Set

A basic no-nonsense 1/4” drive set of sockets with the FRP ratchet and an extension bar. Supplied in the Teng Tools clip box which stores the sockets and includes a clip rail facility for adding extra sockets.

Accessories	1/4” drive		FRP ratchet, 2” extension bar,
Regular sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm



T1419 19 Piece 1/4” Drive Socket Set

19 piece 1/4” drive socket set containing 6 point sockets, bits ratchet handle, magnetic bits holder, plus 11 bits. Supplied in a plastic case with snap lock and metal pin hinges. (105x60x32mm, 0.25 kilos)

Accessories	1/4” drive		1/4” bits ratchet, magnetic bits holder, 1/4”Mx1/4”Hex adaptor
Regular sockets	1/4” drive	6 point	8, 9, 10, 11, 12, 13mm
Bits	1/4” hex		4, 5, 6mm hex, PH1, PH2, PZ1, PZ2, 4.5mm flat, 5.5mm flat, 6.5mm flat



T1420 20 Piece 1/4” Drive Socket Set

20 piece 1/4” drive socket set containing 6 point sockets, bits ratchet handle, magnetic bits holder, plus 11 bits. Supplied in a plastic case with snap lock and metal pin hinges. (105x60x32mm, 0.2 kilos)

Accessories	1/4” drive		1/4” bits ratchet, magnetic bits holder, 1/4”Mx1/4”Hex adaptor
Regular sockets	1/4” drive	6 point	5.5, 6, 7, 8, 9, 10, 13mm
Bits	1/4” hex		TX10, TX15, TX20, PH1, PH2, PZ1, PZ24mm flat, 5.5mm flat, 6.5mm flat



T1422 22 Piece 1/4” Drive Socket Set

22 piece 1/4” drive socket set containing 6 point sockets, 72 teeth ratchet handle, 2” extension bar, bits holder, 10 bits and hanging hook. Supplied in a plastic case with snap lock and metal pin hinges. (170x90x35mm, 0.45 kilos)

Accessories	1/4” drive		72 teeth ratchet, coupler adaptor, 2” extension bar
Regular sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Bits	1/4” hex		TX10, TX15, TX20, 4mm flat, 5.5mm flat, 6.5mm flat, PH1, PH2, PZ1, PZ2



T1423 23 Piece 1/4” Drive Socket Set

23 piece 1/4” drive socket set containing 6 point sockets, mini bits ratchet, 2” extension bar, 10 bits and a 4” adjustable wrench. Supplied in a plastic case with snap lock and metal pin hinges. (170x90x35mm, 0.42 kilos)

Regular sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 12, 13mm
Adjustable wrench			4”
Accessories	1/4” drive		2” extension, 1/4” bit ratchet, 1/4” male:1/4” hex adaptor
Bits	1/4” hex		4, 5, 5.5, 6mm flat, PH1, PH2, PZ1, PZ2, TX10, TX15, TX20



T1424 24 Piece 1/4” Drive Socket Set

24 piece 1/4” drive socket set containing 6 point sockets, FRP ratchet, 3” extension bar, universal joint, bits holder as well as PH, flat, hex and TX bits. Supplied in a plastic case with snap lock and metal pin hinges. (170x90x35mm, 0.5 kilos)

Regular sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13
Accessories	1/4” drive		FRP ratchet, 3” extension bar, universal joint, bits holder
Bits	1/4” hex		PH1, PH2, 3mm hex, 5mm hex, 6mm hex, TX10, TX15, TX20, 4mm flat, 5.5mm flat



T1424S 24 Piece 1/4” Drive Socket Set

24 piece 1/4” drive socket set containing 6 point sockets, 72 teeth flexible ratchet, couple adaptor, universal joint, 3’ extension bar, 10 regular sockets, and 10 bits. Supplied in a plastic case with snap lock and metal pin hinges. (170x90x35mm, 0.45 kilos)

Accessories	1/4” drive		72 teeth flexible ratchet, coupler adaptor, universal joint, 3” extension bar
Regular sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
Bits	1/4” hex		3mm hex, 5mm hex, 6mm hex, TX10, TX15, TX20, 4mm flat, 5.5mm flat, PH1, PH2.



T1435AF 35 Piece 1/4” Drive AF Socket Set

35 piece 1/4” drive socket set containing regular and deep 6 point AF sockets, FRP ratchet, 11 screwdriver bits, universal joint, 2” and 4” extension bars, coupler adaptor, 3/8” - 1/4” adaptor and hex keys 1.5, 2.0 and 2.5mm. Supplied in a plastic case with snap lock and metal pin hinges. (240x125x38mm, 1.1 kilos)

Accessories	1/4” drive		FRP ratchet, universal joint, 2” & 4” extensions, coupler adaptor 3/8”F:1/4”M T-bar adaptor, 1.5, 2.0 & 2.5mm hex keys
Regular sockets	1/4” drive	6 point	3/16” 7/32” 1/4” 9/32” 5/16” 11/32” 3/8” 7/16” 1/2”
Deep sockets	1/4” drive	6 point	3/16” 1/4” 5/16” 3/8” 7/16” 1/2”
Bits	1/4” hex		TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat



# Socket Sets

## T1436 36 Piece 1/4” Drive Socket Set

36 piece 1/4” drive socket set containing 6 point sockets, FRP ratchet, coupler adaptor, 3/8”-1/4” adaptor, 2” and 4” extension bars, universal joint, three hex keys and 11 bits. Supplied in a plastic case with snap lock and metal pin hinges. (240x125x38mm, 0.9 kilos)

Accessories	1/4” drive	FRP ratchet, universal joint, 2” & 4” extensions, coupler adaptor, 3/8”F:1/4”M T-bar adaptor, 1.5, 2.0 & 2.5mm hex keys
Regular sockets	1/4” drive 6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
Deep sockets	1/4” drive 6 point	6, 7, 8, 10, 12, 13mm
Bits	1/4” hex	TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat



## T1460 60 Piece 1/4” Drive Socket Set

60 piece 1/4” drive socket set cantaning 6 point regular/deep metric/AF sockets, bit sockets, FRP ratchet, 1/4” hex bits holder, 2” and 4” extension bars, spinner handle, universal joint, T bar and screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (350x180x55mm, 1.6 kilos)

Accessories	1/4” drive	FRP ratchet, bits holder 1/4” hex, 2” and 4” extension bars, spinner handle, universal joint, T bar
Regular sockets	1/4” drive 6 point	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm 3/16” 7/32” 1/4” 9/32” 5/16” 11/32” 3/8” 7/16” 1/2”
Deep sockets	1/4” drive 6 point	6, 7, 8, 10, 12, 13mm 1/4” 5/16” 3/8” 7/16” 1/2”
Bit sockets	1/4” drive	4mm, 5.5mm, 7mm flat, TX10, TX15, TX20, TX25, TX27, PH1, PH2
Bits (25mm)	1/4” hex	4mm, 5.5mm flat, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2



## TM106 106 Piece 1/4” 3/8” & 1/2” Drive Socket Set

106 piece professional tool set, containing 1/4” and 3/8” drive regular 6 point sockets, 1/4” drive deep sockets, 3/8” drive spark plug sockets, 1/2” drive regular 12 point sockets, FRP ratchets, universal joints coupler adaptors, extension bars, bi-flex wrench, bit driver, adaptors, double flex wrenches, combination spanners, ring holder, adjustable wrench and a full range of screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 7.85 kilos)



Accessories	1/4” drive	FRP ratchet, bi-flex wrench, universal joint, 2” & 3” extensions, coupler adaptor, bits driver handle with magnetic bits holder
Accessories	3/8” drive	FRP ratchet, 3” & 6” extensions, universal joint, 3/8”F:1/4”MT bar adaptor, 3/8”F:1/2”M T bar adaptor, coupler adaptor
Accessories	1/2” drive	2¼” & 10” extensions, 1/2”F:3/8”M T bar adaptor, flex head adaptor
Regular sockets	1/4” drive 6 point	4, 5, 6, 7, 8, 10, 12, 13mm
Deep sockets	1/4” drive 6 point	6, 7, 8, 10, 12, 13mm
Regular sockets	3/8” drive 6 point	8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Spark plug sockets	3/8” drive	16, 21mm
Regular sockets	1/2” drive 12 point	19, 24, 27, 30, 32mm
Bits (25mm)	1/4” hex	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40 3mm hex, 4mm hex, 5mm, 6mm hex, 8mm hex, 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6
Wrenches		8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, ring holder, 8x9mm, 10x11mm, 12x13mm, 14x15mm double flex wrenches, 10” adjustable

# Socket Sets

## T1272 72 Piece 1/4’ & 1/2” Socket Set

72 piece socket set containing 1/4” and 1/2” drive regular sockets and accessories together with a comprehensive range of socket accessories. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (480x248x68mm, 4.6 kilos)




Accessories	1/4” drive	FRP ratchet, bi-flex wrench, 4” extension bar, coupler adaptor
Accessories	1/2” drive	FRP ratchet, 5” & 10” extension bars, 3/8”F:1/2”M T bar adaptor, flex head adaptor, universal joint
Regular sockets	1/4” drive 6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
Regular sockets	1/2” drive 12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27mm
Bits	1/4” hex	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex, 10mm hex, 1/8” hex, 9/64” hex, 5/32 hex, 3/16” hex, 7/32” hex, 1/4” hex, 3/8” hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6
Hex keys		1.5, 2.0, 2.5mm

## TM095 1/4” and 1/2” Drive Socket and Tool Set

95 piece ¼” and ½” drive socket set containing regular and deep ¼” drive metric sockets, ½” drive regular 6 point sockets, FRP ratchets, universal joints, extension bars, ½” drive spark plug sockets and other socket accessories and screwdriver bits. The set also includes combination spanners and screwdrivers. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.3 kilos)

Accessories	¼” drive	FRP ratchet, universal joint, 2” and 4” extensions, sliding T bar, spinner handle, coupler adaptor, 50mm magnetic bit holder
Regular sockets	¼” drive 6 point	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	¼” drive 6 point	4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
Regular sockets	½” drive 6 point	10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32mm
Accessories	½” drive	FRP ratchet, 5” and 10” extensions, 3/8”F:1/2”M T bar adaptor, universal joint, 5/16” hex coupler Adaptor, 21mm spark plug socket
Combination spanners		8, 10, 12, 13, 14, 17mm
Screwdrivers		PH1x75mm, PH2x100mm, PZ1x75mm, PZ2x100mm, 3mm flat x 75mm, 4mm flat x 100mm
Bits (25mm)	¼” hex	4, 5.5 and 7mm flat, PH0,PH1, PH2, PH3, PH4, PZ0, PZ1, PZ2, PZ3, 3, 4, 5, 6, 8 and 10mm hexagon, ¼” male adaptor, TX8, TX10, TX15, TX20, TX25 TX27, TX30, TX40
Bits (30mm)	5/16” hex	TX45, TX50, TX55



From factory to workshop, from farms to motor racing - Teng Tools is the preferred choice for professionals.



TM111 111 Piece Socket Set

111 piece socket set containing 1/4", 3/8" and 1/2" drive regular sockets and accessories, 3/8" drive deep sockets, spark plug sockets plus 1/4" and 5/16" hex bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 8.1 kilos)



Accessories	1/4" drive	FRP ratchet, 5/16" hex coupler adaptor, 6" flexible extension, 2" and 4" extension bars, spinner handle, universal joint, 1/4"Fx3/8"M adaptor, 4" T bar
Accessories	3/8" drive	FRP ratchet, bits holder 1/4" hex, 3" and 6" extension bars, spinner handle, universal joint, 3/8"Fx1/2"M adaptor, spin disc
Accessories	1/2" drive	FRP ratchet, 5/16" hex coupler, 2½" and 10" extension bars, 1/2"Fx3/8"M adaptor, spin disc
Regular sockets	1/4" drive	6 point 4, 5, 6, 7, 8, 10, 12mm 3/16" 7/32" 1/4" 9/32" 3/8" 7/16"
Regular sockets	3/8" drive	6 point 8, 9, 10, 12, 13, 14, 15, 16, 17mm 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"
Deep sockets	3/8" drive	6 point 8, 9, 10, 12, 13, 14, 15, 16, 17mm 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"
Regular socket	1/2" drive	6 point 17, 24, 27, 32mm 11/16" 3/4" 13/16" 7/8" 1" 1 ½"
Spark plug sockets	3/8" drive	6 point 16, 21mm
Bits	5/16" hex coupler adaptor	3mm hex, 4mm hex, 5mm hex, 6mm hex, 7mm hex, 10mm hex, 1/8" hex, 9/64" hex, 5/32" hex, 3/16" hex, 1/4" hex, 5/16" hex, TX10, TX15, TX20, TX25, TX30, TX40, 4mm, 5.5mm, 7mm flat, PH1, PH2, PH3, PZ1, PZ2, PZ3
Bits	5/16" hex	TX45, TX50

TM127 1/4", 3/8" and 1 1/2" Drive Metric and AF Socket and Tool Set

127 piece 1/4", 3/8" and 1/2" drive socket set containing regular and deep ¼" drive sockets, 3/8" and 1/2" drive regular sockets, FRP ratchets, extension bars, universal joints, spark plug sockets, adaptors and screwdriver bits. The set also includes combination spanners, an adjustable wrench and a ratcheting bits driver. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 7.5 kilos)

Accessories	1/4" drive	FRP ratchet, universal joint, 2" and 3" extension bars, coupler adaptor
Regular sockets	1/4" drive	6 point 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
Deep sockets	1/4" drive	6 point 6, 7, 8, 10, 12, 13mm
Accessories	3/8" drive	FRP ratchet, universal joint, 3" and 6" extension bars, coupler adaptor, 16 and 21mm spark plug sockets, 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor
Regular sockets	3/8" drive	6 point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
Accessories	1/2" drive	2½" and 10" extension bars, flex head adaptor, 1/2"F:3/8"M adaptor
Regular sockets	1/2" drive	12 point 19, 24, 27, 30, 32mm
Wrenches		8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, spanner ring, 8" adjustable wrench
Bits	1/4" hex	Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mm flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2 (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8", 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 5 and 6 XZN.



TT1435 1/4" drive socket set

Set containing 11 regular 6 point sockets, 6 deep 6 point sockets, 11 screwdriver bits, ratchet handle, universal joint, 2" and 4" extension bars, 1/4" coupler adaptor, 3/8"-1/4" adaptor and 1/4" screwdriver handle. Supplied in the unique Teng Tools TC tray with dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

Accessories	1/4" drive	Ratchet, universal joint, 2" and 4"extensions, coupler adaptor, 3/8" F:1/4"M T bar adaptor, 6" spinner handle
Regular sockets	1/4" drive	6 point 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	1/4" drive	6 point 6, 7, 8, 10, 12, 13mm
Bits	1/4" hex	TPX10, 15, 20, 5mm, 6 mm hex, PH1, PH2, PZ1, PZ2, 4 mm, 5.5 mm flat



TTAF32 1/4" & 3/8" AF socket set

Set containing 1/4" and 3/8" drive 6 point sockets, regular and deep. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.36 kilos)

Regular sockets	1/4" drive	6 point 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"
Deep sockets	1/4" drive	6 point 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/16" 3/8" 7/16" 1/2"
Regular sockets	3/8" drive	6 point 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"
Deep sockets	3/8" drive	6 point 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"



TTTX30 3/8" drive TX/TPX/TXE socket set

30 piece 3/8" drive bit socket set containing 28 TX, TPX and TX-E socket bits for internal and external heads plus 3/8" -1/4" adaptor, and 3" extension bar 3/8" drive. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Accessories	3/8" drive	3" extension, 3/8"F:1/4"M adaptor
TX bit sockets	3/8" drive	TX10, 15, 20, 25, 27, 30, 40, 45, 50
TPX bit sockets	3/8" drive	TPX10, 15, 20, 25, 27, 30, 40, 45, 50
TX-E sockets	1/4" drive	E4, E5, E6, E7, E8
	3/8" drive	E10, E12, E14, E16, E18



TTBS35 1/4" & 3/8" drive bit socket set

35 piece 1/4" and 3/8" drive set containing 33 bits for hex, TX, PH, PZ and flat type, plus 2 adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.25 kilos)

Bits sockets	1/4" drive	PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 4.5mm flat, 7mm flat, TX10, TX15, TX20, TX25, TX27, TX30, TX40
Hex bit sockets	3/8" drive metric	3, 4, 5, 5.5, 6, 7, 8, 10, 12mm
Hex bit sockets	3/8" drive AF	1/8" 5/32" 3/16" 7/32", 1/4" 5/16" 3/8"
Accessories		1/4"F:3/8"M adaptor, 3/8"F:1/4"M adaptor



Socket Sets

TED1489 1/4” Drive Socket Set


Set containing 1/4” drive regular and deep sockets and a comprehensive range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 1.60 kilos)

Accessories	1/4” drive		72 teeth ratchet, spinner handle, 2” and 4” extension bars, universal joint, coupler adaptor, 3/8”F:1/4”M adaptor, 1/4”M:1/4” hex adaptor
Regular sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 12, 13mm
Bit sockets	1/4” drive		4, 5.5, 7mm flat, TX10,TX15, TX20, TX25, TX27, TX30, TX40, PZ1, PZ2, PZ3, PH0, PH1, PH2, PH3
25mm bits	1/4” hex drive		3, 4, 5.5, 7mm flat, TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, PZ0, PZ1, PZ2, PZ3, PH0, PH1, PH2, PH3, PH4, 3, 4, 5, 6, 8, 10mm hex, 1/8”, 9/64”, 5/32”, 3/16”, 1/4”, 5/16” hex, TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40, XZN 5 and 6.



TTESK77 1/4” 3/8” 1/2” drive socket set

76 piece 1/4”, 3/8” and 1/2” drive socket set containing 1/4”, 3/8” and 1/2” drive sockets and accessories. Covers all the popular sizes from 4 to 24mm with selected sizes in deep and a range of 1/2” drive impact sockets. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 7.2 kilos)



Accessories	1/4” drive		FRP ratchet, 6” spinner handle, 6” and 12” extension bars, universal joint, T-bar and T-bar handle adaptor.
Regular Sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13mm
Deep Sockets	1/4” drive	6 point	7, 8, 10, 12, 13mm
Accessories	3/8” drive		FRP ratchet, 3” wobble extension bar, 6” extension bar, universal joint, 3/8” F:1/4” M adaptor, 3/8” F:1/2”M adaptor, rotating spinner handle.
Regular Sockets	3/8” drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm.
Accessories	1/2” drive		FRP ratchet, 6” wobble extension bar, 10” extension bar, universal joint, 1/2”F:3/8”M adaptor.
Regular Sockets	1/2” drive	6 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm
Impact Sockets	1/2” drive	regular 6 point	13, 15, 16, 17, 18, 19, 22, 24mm
Impact Sockets	1/2” drive	deep 6 point	13, 15, 16, 17, 18, 19, 22, 24mm



TTESK86 1/4” & 3/8” drive socket set

Set containing 1/4” and 3/8” drive regular and deep metric sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 6.55 kilos)

Accessories	1/4” drive		72 teeth ratchet, 6” spinner handle, 2” 3” 4” 6” and 12” extension bars, universal joint, 1/4”F:3/8”M adaptor, sliding T bar, coupler adaptor, T-HD T bar handle adaptor
Regular sockets	1/4” drive	6 point	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Accessories	3/8” drive		72 teeth ratchet, speed brace, spinner handle, 3”, 5”, 6”, 10” and 20” extension bars, universal joint, 3/8”F:1/4”M adaptor, 3/8”F:1/2”M adaptor, 16mm, 18mm and 21mm spark plug sockets, coupler adaptor, 10” rotating spinner handle.
Regular sockets	3/8” drive	6 point	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm
Deep sockets	3/8” drive	6 point	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm

Socket Sets

TTESK85 85 Piece 1/4” 3/8” 1/2” drive socket set

85 piece socket bit set containing 1/4”, 3/8” and 1/2” drive bit sockets. Covers all the popular types and sizes including screwdriver type, hex bits, TX and TPX, Ribe and XZN. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 4.5 kilos)



Flat bit sockets	1/4” drive	4, 5.5, 7mm	PH bit sockets	1/4” drive	PH0, PH1, PH2, PH3
PZ bit sockets	1/4” drive	PZ1, PZ2, PZ3	TX-E sockets	1/4” drive	E4, E5, E6, E7, E8
TX bit sockets	1/4” drive	TX10, TX15, TX20, TX25, TX27, TX30, TX40	Accessories	3/8” drive	3” extension bar
TX-E sockets	3/8” drive	E10, E12, E14, E16, E18	TX bit sockets	3/8” drive	TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50
TPX bit sockets	3/8” drive	TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50	Hex bit sockets	1/2” drive	3, 4, 5.5, 6, 7, 8, 10, 12mm
TX bit sockets	1/2” drive	TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60	Hex bit sockets	1/2” drive	5, 6, 7, 8, 10, 12mm
Ribe bit sockets	1/2” drive	4, 5, 6, 8, 10, 11, 12, 13	XZN bit sockets	1/2” drive	5, 6, 8, 10, 12, 14, 16

M1412 1/4” Drive regular sockets

12 piece 1/4” drive 6 point regular sockets supplied on a clip rail. Chrome vanadium. Satin finish.

Accessories	1 clip rail (185mm in length) complete with 12 1/4” drive socket clips
Regular sockets	1/4” drive 6 point 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm



M1407 1/4” Drive Clip Rail deep sockets

9 piece 1/4” drive 6 point deep metric sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

Accessories	1 clip rail (165mm in length) complete with 9 1/4” drive socket clips
Deep sockets	1/4” drive 6 point 4, 5, 6, 7, 8, 9, 10, 12, 13mm



M3814 1/4” & 3/8” Drive TX-E sockets

10 piece 1/4” and 3/8” drive TX-E sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

Accessories	1 clip rail (165mm in length) complete with 5 1/4” drive and 5 3/8” drive socket clips
TX-E sockets	1/4” drive E4, E5, E6, E7, E8
TX-E sockets	3/8” drive E10, E12, E14, E16, E18



M1408TX 1/4” Drive TX bit sockets

7 piece 1/4” drive TX sockets supplied on a clip rail.

Accessories	1 clip rail (110mm in length) complete with 7 1/4” drive socket clips
TX bit sockets	1/4” drive TX10, TX15, TX20, TX25, TX27, TX30, TX40





3/8” Drive Socket Sets

M3812N1 3/8” Drive Socket Set

A basic no-nonsense 3/8” drive set of sockets with the FRP ratchet and an extension bar. Supplied in the Teng Tools clip box which stores the sockets and includes a clip rail facility for adding extra sockets.

Accessories	3/8" drive	FRP ratchet, 3" extension bar
Regular sockets	3/8" drive	8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm



T3834 34 Piece 3/8” Drive Socket Set

34 piece 3/8” drive socket set containing metric regular 6 point sockets, FRP ratchet, 3” and 6” extension bars, and an adaptor. Supplied in plastic case with snap lock and metal pin hinges. (240x125x38mm, 1.12 kilos)

Accessories	3/8" drive	FRP ratchet, 3" and 6" extension bars, 1/2"Fx3/8"M adaptor, coupler adaptor
Regular sockets	3/8" drive	6 point 8, 10, 11, 12, 13, 14, 15, 17, 19mm
Bits	25mm 1/4" hex	3mm flat, 4mm flat, 5.5mm flat, 3mm hex, 4mm hex, 5mm hex, 6mm hex, TX10, TX15, TX20, TX25, TX27, TX30, TX40, PH1, PH2, PH3, PZ1, PZ2, PZ3



T3834S 34 Piece 3/8” Drive Socket Set

34 piece 3/8” drive socket set containing 9 regular 6 point sockets, 72 teeth flexible ratchet, T bar adaptor, universal joint, 3” and 6’ extension bars. Supplied in plastic case with snap lock and metal pin hinges. (240x125x38mm, 1.12 kilos)

Accessories	3/8" drive	72 teeth flexible ratchet, 1/4" F:3/8" M T bar adaptor, universal joint, 3" and 6" extension bars, coupler adaptor
Regular sockets	3/8" drive	6 point 8, 10, 11, 12, 13, 14, 15, 17, 19mm
Bits	1/4" hex	3mm hex, 4mm hex, 5mm hex, 6mm hex, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 3mm flat, 4mm flat, 5.5mm flat, PH1, PH2, PH3, PZ1, PZ2, PZ3.



T3835AF 35 Piece 3/8” Drive Socket Set

35 piece 3/8” drive set containing regular and deep AF 6 point sockets, 2 spark plug sockets 16 and 21mm, 11 screwdriver bits, FRP ratchet, universal joint, 4” and 6” extension bars, 1/2” - 3/8” adaptor as well as coupler adaptor. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 2.2 kilos)

Accessories	3/8" drive	FRP ratchet, universal joint, 4" & 6" extensions, coupler adaptor, 1/2" F:3/8" M T-bar adaptor
Regular sockets	3/8" drive	6 point 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8"
Deep sockets	3/8" drive	6 point 3/8" 7/16" 1/2" 9/16" 11/16" 3/4"
Spark plug sockets	3/8" drive	6 point 16 & 21mm
Bits	1/4" hex	TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat



T3839 39 Piece 3/8” Drive Socket Set

39 piece 3/8” drive socket set containing regular and deep metric 6 point sockets, coupler adaptor, 1/2”-3/8” adaptor, 3” wobble extension bar and 6” extension, universal joint, 2 spark plug sockets 16 and 21 mm, FRP ratchet as well as 11 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 2.46kilos)

Accessories	3/8" drive	FRP ratchet, universal joint, 3" wobble extension, 6" extension, coupler adaptor, 1/2" F:3/8" M T-bar adaptor
Regular sockets	3/8" drive	6 point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Deep sockets	3/8" drive	6 point 8, 10, 12, 13, 17, 19mm
Spark plug sockets	3/8" drive	16 & 21mm
Bits	1/4" hex	TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat



T3840 39 Piece 3/8” Drive Socket and Spanner Set

39 piece 3/8” drive socket set containing 6 point metric sockets, 6” extension bar, universal joint, coupler adaptor, 1/2”-3/8” adaptor, FRP ratchet, 9 combination spanners as well as 11 screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 2.52 kilos)

Accessories	3/8" drive	FRP ratchet, universal joint, 6" extension, coupler adaptor 1/2" F:3/8" M T-bar adaptor
Regular sockets	3/8" drive	6 point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Combination spanners		8, 10, 11, 12, 13, 14, 15, 17, 19mm
Bits	1/4" hex	TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat



T3848 48 Piece 3/8” Drive Tool Set

48 piece 3/8” drive set containing 6 point regular metric and AF sockets, 2 spark plug sockets, 14 combination spanners, 6 screwdrivers, 5 pliers, adjustable wrench, FRP ratchet, 3” and 6” extension bars, coupler adaptor and 1/2”-3/8” adaptor. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 6.51 kilos)

Accessories	3/8" drive	Ratchet, universal joint, 3" and 6" extension bars, coupler adaptor, 1/2" F:3/8" M adaptor, 16 and 21mm spark plug sockets
Regular sockets	3/8" drive	6 point 7/16" 1/2" 9/16" 11/16" 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21mm
Combination spanners		AF 7/16" 1/2" 9/16" 11/16" mm
Screwdrivers		3.0mm flat, 5.5mm flat, 6.5mm flat, PH0, PH1, PH2,
Pliers		6" side cutter, 7" combination, 8" long nose, 10" water pump
Power grip pliers		7" curved jaw
Adjustable wrenches		8" phosphate finish



# Socket Sets

## TM3867 67 Piece 3/8” drive Tool Set

67 piece 3/8” drive tool set containing regular 6 point metric sockets, FRP ratchet handle, universal joint, 3” and 6” extension bars, coupler adaptor, 1/2”- 3/8” adaptor, bits driver with magnetic bits holder, 10 combination spanners, 6 screwdrivers, 4 pliers as well as 26 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 5.44 kilos)



Accessories	3/8" drive	FRP ratchet, 3" & 6"extensions, coupler adaptor, 1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder	
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16,17, 18, 19, 20, 22mm
Combination spanners			8, 10, 11, 12, 13, 14, 15,16, 17, 19mm
Screwdrivers			3.0mm flat, 5mm flat, 6mm flat, PH0, PH1, PH2,
Pliers			6" side cutter, 7" combination, 8" long nose, 10" water pump
Bits	1/4" hex		TX8, TX10, TX15, TX20, TX25, TX27,TX30, TX40, TX45, TX50, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex, 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat

## TM079 79 Piece 3/8” Tool Set

79 piece 3/8” socket and tool set. A service kit that contains a 3/8” drive socket set with FRP ratchet, bit sockets, universal joint, adaptor drive 1/2” x 3/8”. Also included are: bit screwdriver with magnet, LED torch, measuring tape, universal knife, telescopic magnetic pick up, hook set for O-rings, universal pliers, carpenters hammer with steel tube handle, 1/4” adapter, 3/8” drive sockets, combination spanners, hex key set, adjustable wrench, flat nose pliers, side cutters, combination pliers, water pump pliers, screwdrivers and 20 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.8 kilos)



Accessories	3/8" drive		FRP ratchet, 5"extension, universal joint, 1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder
			1/4" hex adaptor, LED light with clip, 5m measuring tape, utility knife, telescopic magnet, 4 in 1 hook and pick set, gun saw, 16oz claw hammer
Regular sockets	3/8" drive	6 point	8, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22mm
Combination spanners			6, 7, 8, 10, 11mm
Hex key set			7 piece folding hex key set 1.5-6mm
Adjustable wrench			8" wide opening with vinyl grip
Screwdrivers			3.0mm flat, 5.5mm flat, 6.6mm flat, PH1, PH2,
Pliers			6" side cutter, 7" combination, 6" long nose, 7" water pump
Bits	1/4" hex		TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX20, TPX25, TPX30, 4mm hex, 5mm hex, 6mm hex, PH1, PH2,PH3, PZ1, PZ2, PZ3, 4.5mm flat, 5.5mm flat, 6.5mm flat, ROB no1, ROB no2, ROB no3, GR no2(x2)

## TM079E 79 Piece 3/8” Tool Set

79 piece 3/8” socket and tool set. A service kit that contains a 3/8” drive socket set with FRP ratchet, bit sockets, universal joint, adaptor drive 1/2” x 3/8”. Also included are: bit screwdriver with magnet, LED torch, measuring tape, universal knife, telescopic magnetic pick up, hook set for O-rings, universal pliers, engineers hammer, 1/4” adapter, 3/8” drive sockets, combination spanners, hex key set, adjustable wrench, flat nose pliers, side cutters, combination pliers, water pump pliers, screwdrivers and 20 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.8 kilos)



Accessories	3/8" drive	FRP ratchet, 5"extension, universal joint, 1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder		
		1/4" hex adaptor, LED light with clip, 5m measuring tape, utility knife, telescopic magnet, 4 in 1 hook and pick set, gun saw, 500g engineers hammer		
Regular sockets	3/8" drive	6 point	8, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22mm	
Combination spanners			6, 7, 8, 10, 11mm	
Hex key set			7 piece folding hex key set 1.5-6mm	
Adjustable wrench			8" wide opening with vinyl grip	
Screwdrivers			3.0mm flat, 5.5mm flat, PH1, PH2,	
Pliers			6" side cutter, 7" combination, 6" long nose, 7" water pump	
Bits	1/4" hex		TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX20, TPX25, TPX30, 4mm hex, 5mm hex, 6mm hex, PH1, PH2,PH3, PZ1, PZ2, PZ3, 4.5mm flat, 5.5mm flat, 6.5mm flat, ROB no1, ROB no2, ROB no3, GR no2(x2)	



# Socket Sets

## TM106 106 Piece 1/4” 3/8” & 1/2” Drive Socket Set

106 piece professional tool set, containing 1/4” and 3/8” drive regular 6 point sockets, 1/4” drive deep sockets, 3/8” drive spark plug sockets, 1/2” drive regular 12 point sockets, FRP ratchets, universal joints coupler adaptors, extension bars, bi-flex wrench, bit driver, adaptors, double flex wrenches, combination spanners, ring holder, adjustable wrench and a full range of screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 7.85 kilos)



Accessories	1/4" drive	FRP ratchet, bi-flex wrench, universal joint,2" & 3" extensions, coupler adaptor, bits driver handle with magnetic bits holder	
Accessories	3/8" drive	FRP ratchet, 3" & 6" extensions, universal joint, 3/8"F:1/4"MT bar adaptor, 3/8"F:1/2" M T bar adaptor, coupler adaptor	
Accessories	1/2" drive	2½" & 10" extensions, 1/2"F:3/8" M T bar adaptor, flex head adaptor	
Regular sockets	1/4" drive	6 point	4, 5, 6, 7, 8, 10, 12, 13mm
Deep sockets	1/4" drive	6 point	6, 7, 8, 10, 12, 13mm
Regular sockets	3/8" drive	6 point	8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Spark plug sockets	3/8" drive		16, 21mm
Regular sockets	1/2" drive	12 point	19, 24, 27, 30, 32mm
Bits (25mm)	1/4" hex		TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40 3mm hex, 4mm hex, 5mm, 6mm hex, 8mm hex, 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6
Wrenches			8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, ring holder, 8x9mm, 10x11mm, 12x13mm, 14x15mm double flex wrenches, 10" adjustable

## TM111 111 Piece Socket Set

111 piece socket set containing 1/4”, 3/8” and 1/2” drive regular sockets and accessories, 3/8” drive deep sockets, spark plug sockets plus 1/4” and 5/16” hex bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 8.1 kilos)



Accessories	1/4" drive	FRP ratchet, 5/16" hex coupler adaptor, 6" flexible extension, 2" and 4" extension bars, spinner handle, universal joint, 1/4"Fx3/8"M adaptor, 4" T bar	
Accessories	3/8" drive	FRP ratchet, bits holder 1/4" hex, 3" and 6" extensin bars, spinner handle, universal joint, 3/8"Fx1/2"M adaptor, spin disc	
Accessories	1/2" drive	FRP ratchet, 5/16" hex coupler, 2 1/2" and 10" extension bars, 1/2"Fx3/8"M adaptor, spin disc	
Regular sockets	1/4" drive	6 point	4, 5, 6, 7, 8, 10, 12mm 3/16" 7/32" 1/4" 9/32" 3/8" 7/16"
Regular sockets	3/8" drive	6 point	8, 9, 10, 12, 13, 14, 15, 16, 17mm 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"
Deep sockets	3/8" drive	6 point	8, 9, 10, 12, 13, 14, 15, 16, 17mm 3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"
Regular socket	1/2" drive	6 point	17, 24, 27, 32mm 11/16" 3/4" 13/16" 7/8" 1" 1 1/2"
Spark plug sockets	3/8" drive	6 point	16, 21mm
Bits	5/16" hex coupler adaptor	3mm hex, 4mm hex, 5mm hex, 6mm hex, 7mm hex, 10mm hex, 1/8" hex, 9/64" hex, 5/32" hex, 3/16" hex, 1/4" hex, 5/16" hex, TX10, TX15, TX20, TX25, TX30, TX40, 4mm, 5.5mm, 7mm flat, PH1, PH2, PH3, PZ1, PZ2, PZ3	
Bits	5/16" hex	TX45, TX50	





TM127 1/4", 3/8" and 1/2" Drive Metric and AF Socket and Tool Set

127 piece 1/4", 3/8" and 1/2" drive socket set containing regular and deep ¼" drive sockets, 3/8" and 1/2" drive regular sockets, FRP ratchets, extension bars, universal joints, spark plug sockets, adaptors and screwdriver bits. The set also includes combination spanners, an adjustable wrench and a ratcheting bits driver. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 7.5 kilos)

Accessories	1/4" drive		FRP ratchet, universal joint, 2" and 3" extension bars, coupler adaptor
Regular sockets	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
		6 point	3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
Deep sockets	1/4" drive	6 point	6, 7, 8, 10, 12, 13mm
	3/8" drive		FRP ratchet, universal joint, 3" and 6" extension bars, coupler adaptor, 16 and 21mm spark plug sockets, 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
		6 point	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
Accessories	1/2" drive		2½" and 10" extension bars, flex head adaptor, 1/2"F:3/8"M adaptor
Regular sockets	1/2" drive	12 point	19, 24, 27, 30, 32mm
Wrenches			8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, spanner ring, 8" adjustable wrench
Bits	1/4" hex		Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mm flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2 (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8", 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 5 and 6 XZN.



TT3819 3/8" drive socket set

Set containing 13 regular 6 point sockets, ratchet handle, universal joint, 3" wobble extension bar, 10" spinner handle with 3/8" drive at both ends, 1/2"-3/8" adaptor and 1/4" coupler adaptor. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.0 kilos)

Accessories	3/8" drive		Ratchet, universal joint, 3" wobble extension, 10" rotating spinner handle, 1/2" F:3/8" M T bar adaptor, coupler adaptor
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm



TT3816 3/8" drive deep sockets

Set containing 16 deep 6 point sockets 3/8" drive. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

Deep sockets	3/8" drive	6 point	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
--------------	------------	---------	---



TTAF32 1/4" & 3/8" AF socket set

Set containing 1/4" and 3/8" drive 6 point sockets, regular and deep. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.36 kilos)

Regular sockets	1/4" drive	6 point	3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"
Deep sockets	1/4" drive	6 point	3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/16" 3/8" 7/16" 1/2"
Regular sockets	3/8" drive	6 point	3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"
Deep sockets	3/8" drive	6 point	3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"



TTTX30 3/8" drive TX/TPX/TXE socket set

30 piece 3/8" drive bit socket set containing 28 TX, TPX and TX-E socket bits for internal and external heads plus 3/8" -1/4" adaptor, and 3" extension bar 3/8" drive. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Accessories	3/8" drive	3" extension, 3/8"F:1/4"M adaptor
TX bit sockets	3/8" drive	TX10, 15, 20, 25, 27, 30, 40, 45, 50
TPX bit sockets	3/8" drive	TPX10, 15, 20, 25, 27, 30, 40, 45, 50
TX-E sockets	1/4" drive	E4, E5, E6, E7, E8
	3/8" drive	E10, E12, E14, E16, E18



TTBS35 1/4" & 3/8" drive bit socket set

35 piece 1/4" and 3/8" drive set containing 33 bits for hex, TX, PH, PZ and flat type, plus 2 adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.25 kilos)

Bits sockets	1/4" drive	PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 4.5mm flat, 7mm flat, TX10, TX15, TX20, TX25, TX27, TX30, TX40
Hex bit sockets	3/8" drive metric	3, 4, 5, 5.5, 6, 7, 8, 10, 12mm
Hex bit sockets	3/8" drive AF	1/8" 5/32" 3/16" 7/32", 1/4" 5/16" 3/8"
Accessories		1/4"F:3/8"M adaptor, 3/8"F:1/4"M adaptor



TTXTB05 3/8" drive extra long swivel spark plug set

5 piece set with 3/8" drive extra long swivelling spark plug sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

Spark plug sockets	14, 16, 21mm
Accessories	2 piece T bar handle



TTXTB09 3/8" drive extra long socket set

9 piece set with 3/8" drive sockets and a T bar with handle. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)

Extra long sockets	8, 10, 12, 13, 14, 17, 19mm
Accessories	2 piece T bar handle





Socket Sets

TED3836 3/8" Drive Socket Set

Set containing 3/8" drive regular and bit sockets and a range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 2.49 kilos)

Accessories	3/8" drive		72 teeth ratchet, rotating spinner handle, 3" extension bar, universal joint, 1/2"F:3/8"M adaptor		
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm		
Bit sockets	3/8" drive		TX10,TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50, 3, 4, 5, 5.5, 6, 7, 8, 10, 12mm hex		



TTESK86 1/4" & 3/8" drive socket set


Set containing 1/4" and 3/8" drive regular and deep metric sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 6.55 kilos)




Accessories	1/4" drive		72 teeth ratchet, 6" spinner handle, 2" 3" 4" 6" and 12" extension bars, universal joint, 1/4"F:3/8"M adaptor, sliding T bar, coupler adaptor, T-HD T bar handle adaptor		
Regular sockets	1/4" drive	6 point	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm		
Deep sockets	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm		
Accessories	3/8" drive		72 teeth ratchet, speed brace, spinner handle, 3", 5", 6", 10" and 20" extension bars, universal joint, 3/8"F:1/4"M adaptor, 3/8"F:1/2"M adaptor, 16mm, 18mm and 21mm spark plug sockets, coupler adaptor, 10" rotating spinner handle.		
Regular sockets	3/8" drive	6 point	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm		
Deep sockets	3/8" drive	6 point	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm		

TTESK77 1/4" 3/8" 1/2" drive socket set

76 piece 1/4", 3/8" and 1/2" drive socket set containing 1/4", 3/8" and 1/2" drive sockets and accessories. Covers all the popular sizes from 4 to 24mm with selected sizes in deep and a range of 1/2" drive impact sockets. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 7.2 kilos)



Accessories	1/4" drive		FRP ratchet, 6" spinner handle, 6" and 12" extension bars, universal joint, T-bar and T-bar handle adaptor.		
Regular Sockets	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13mm		
Deep Sockets	1/4" drive	6 point	7, 8, 10, 12, 13mm		
Accessories	3/8" drive		FRP ratchet, 3" wobble extension bar, 6" extension bar, universal joint, 3/8" F:1/4" M adaptor, 3/8" F:1/2" M adaptor, rotating spinner handle.		
Regular Sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm.		
Accessories	1/2" drive		FRP ratchet, 6" wobble extension bar, 10" extension bar, universal joint, 1/2"F:3/8"M adaptor.		
Regular Sockets	1/2" drive	6 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm		
Impact Sockets	1/2" drive	regular 6 point	13, 15, 16, 17, 18, 19, 22, 24mm		
Impact Sockets	1/2" drive	deep 6 point	13, 15, 16, 17, 18, 19, 22, 24mm		



TTESK85 85 Piece 1/4" 3/8" 1/2" drive socket set

85 piece socket bit set containing 1/4", 3/8" and 1/2" drive bit sockets. Covers all the popular types and sizes including screwdriver type, hex bits, TX and TPX, XZN. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 4.5 kilos)



Flat bit sockets 1/4" drive 4, 5.5, 7mm	PH bit sockets 1/4" drive PH0, PH1, PH2, PH3
PZ bit sockets 1/4" drive PZ1, PZ2, PZ3	TX-E sockets 1/4" drive E4, E5, E6, E7, E8
TX bit sockets 1/4" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40	Accessories 3/8" drive 3" extension bar
TX-E sockets 3/8" drive E10, E12, E14, E16, E18	TX bit sockets 3/8" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50
TPX bit sockets 3/8" drive TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50	Hex bit sockets 1/2" drive 3, 4, 5.5, 6, 7, 8, 10, 12mm
TX bit sockets 1/2" drive TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60	Hex bit sockets 1/2" drive 5, 6, 7, 8, 10, 12mm
Ribe bit sockets 1/2" drive 4, 5, 6, 8, 10, 11, 12, 13	XZN bit sockets 1/2" drive 5, 6, 8, 10, 12, 14, 16



Socket Sets

M3816 3/8" Drive regular sockets

16 piece 3/8" drive regular metric 6 point sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

Accessories	1 clip rail (370mm in length) complete with 16 3/8" drive socket clips
Regular sockets	3/8" drive 6 point 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm



M3807 3/8" Drive deep sockets

7 piece 3/8" drive deep metric 6 point sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

Accessories	1 clip rail (165mm in length) complete with 7 3/8" drive socket clips
Deep sockets	3/8" drive 6 point 10, 12, 13, 14, 15, 17, 19mm



M3811 3/8" Drive AF hex bit sockets

8 piece 3/8" drive AF hex bit sockets supplied on a clip rail. Chrome vanadium sockets for internal hex holes.

Accessories	1 clip rail (165mm in length) complete with 8 3/8" drive socket clips
AF hex bit sockets	3/8" drive 3/32" 1/8" 5/32" 3/16" 7/32" 1/4" 5/16" 3/8"



M3812 3/8" Drive hex bit sockets

9 piece 3/8" drive metric hex bit socket supplied on a clip rail. Chrome vanadium sockets for internal hex holes.

Accessories	1 clip rail (165mm in length) complete with 9 3/8" drive socket clips
Metric hex bit sockets	3/8" drive 3, 4, 5, 5.5, 6, 7, 8, 10, 12mm



M3813TPX 3/8" Drive TPX bit sockets

9 piece 3/8" drive TPX sockets supplied on a clip rail for internal tamper TPX heads.

Accessories	1 clip rail (165mm in length) complete with 9 3/8" drive socket clips
TPX bit sockets	3/8" drive TPX10, TPX15, TPX20, TPX 25, TPX27,TPX30, TPX 40, TPX45, TPX50



M3813TX 3/8" Drive TX bit sockets

9 piece 3/8" drive TX sockets supplied on a clip rail for internal TX heads.

Accessories	1 clip rail (165mm in length) complete with 9 3/8" drive socket clips
TX bit sockets	3/8" drive TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50



M3814 1/4" & 3/8" Drive TX-E sockets

10 piece 1/4" and 3/8" drive TX-E sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

Accessories	1 clip rail (165mm in length) complete with 5 1/4" drive and 5 3/8" drive socket clips
TX-E sockets	1/4" drive E4, E5, E6, E7, E8
TX-E sockets	3/8" drive E10, E12, E14, E16, E18



1/2” Drive Socket Sets

M1212N1 12 Piece 1/2” Drive Socket Set

A basic no-nonsense 1/2” drive set of sockets with the FRP ratchet and an extension bar. Supplied in the Teng Tools clip box which stores the sockets and includes a clip rail facility for adding extra sockets.

Accessories	1/2” drive	FRP ratchet, 5” extension bar
Regular sockets	1/2” drive	8, 10, 12, 13, 14, 15, 17, 18, 19, 24mm



T1220AF 20 Piece 1/2” Drive AF Socket Set

20 piece 1/2” drive socket set containing 12 point regular AF sockets, 2 ½” and 6” extension bars, universal joint, 1/2”-3/8” adaptor as well as a FRP ratchet. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 3.0 kilos)

Accessories	1/2” drive	FRP ratchet, universal joint, 2½” and 6” extensions, 3/8”F:1/2”M T-bar adaptor
Regular sockets	1/2” drive	12 point 3/8” 7/16” 1/2” 9/16” 5/8” 11/16” 3/4” 13/16” 7/8” 15/16” 1” 1¼” 1 ½” 1 ¾” 1 ⅞”



T1221 21 Piece 1/2” Drive Socket Set

21 piece 1/2” drive socket set containing 12 point regular sockets, 2 ½” and 6” extension bars, universal joint, 1/2”-3/8” adaptor as well as a FRP ratchet. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 3.1 kilos)

Accessories	1/2” drive	FRP ratchet, universal joint, 2½” and 6” extensions, 3/8”F”1/2”M T-bar adaptor
Regular sockets	1/2” drive	12 point 10, 11, 12, 13, 14, 15, 16, 17, 18,19, 21, 22, 24, 27, 30, 32mm



T1221-6 21 Piece 1/2” Drive Socket Set

21 piece 1/2” drive socket set containing 6 point regular sockets, 2 ½” and 6” extension bars, universal joint, 1/2”-3/8” adaptor as well as a FRP ratchet. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 3.1 kilos)

Accessories	1/2” drive	FRP ratchet, universal joint, 2½” and 6” extensions, 3/8”F”1/2”M T-bar adaptor
Regular sockets	1/2” drive	6 point 10, 11, 12, 13, 14, 15, 16, 17, 18,19, 21, 22, 24, 27, 30, 32mm



T1230 30 Piece 1/2” Drive Socket Set

30 piece 1/2” drive socket set containing 12 point regular metric and AF sockets, 3” extension bar, universal joint, 3/8”-1/2” adaptor as well as a FRP ratchet. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (369x198x62mm, 3.6 kilos)

Accessories	1/2” drive	FRP ratchet handle, 5” extension bar, universal joint, 3/8”F:1/2”M adaptor
Regular sockets MM 1/2” drive	12 point	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
Regular sockets AF 1/2” drive	12 point	3/8” 7/16” 1/2” 9/16” 5/8” 3/4” 13/16” 15/16” 1” 1 ¼” 1 ½” 1 ¾”



T1234 34 Piece 1/2” Drive Socket Set

34 piece 1/2” drive socket set containing 6 point regular and deep metric sockets, FRP ratchet, extension bars, universal joint, T bar adaptor and spark plug sockets. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (480x248x68mm, 5.4 kilos)

Accessories	1/2” drive	FRP ratchet handle, 5” and 10” extension bars, universal joint, 3/8”F:1/2”M adaptor
Regular sockets	1/2” drive	6 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27mm
Deep sockets	1/2” drive	6 point 13, 14, 15, 16, 17, 18, 19, 24mm
Spark plug sockets	1/2” drive	6 point 16, 21mm
Hexagon keys		1.5, 2.0, 2.5mm



T1268 1/2” Drive Tool Set

68 piece 1/2” drive tool set, containing 16 regular 12 point metric sockets, FRP ratchet, universal joint, 2 ½” and 6” extension bars, adaptor 3/8” F -1/2” M, bits holder with magnetic bits holder, 10 combination spanners, 6 screwdrivers, 4 pliers as well as 26 bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.72 kilos)

Accessories	1/2” drive	FRP ratchet, 2½” & 6”extensions, universal joint, 1/2”F:3/8”M T-bar adaptor, bits driver handle with magnetic bits holder
Regular sockets	1/2” drive	12 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 27, 30, 32mm
Combination spanners		8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm
Screwdrivers		3.0mm flat, 5.5mm flat, 6.6mm flat, PH0, PH1, PH2,
Pliers		6” side cutter, 7” combination, 8” long nose, 10” water pump
Bits 25mm	1/4” hex	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex, PH0,PH1, PH2,PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat





# Socket Sets

## T1272 72 Piece 1/4’ & 1/2” Socket Set

72 piece socket set containing 1/4” and 1/2” drive regular sockets and accessories together with a comprehensive range of socket accessories. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (480x248x68mm, 4.6 kilos)



Accessories	1/4" drive	FRP ratchet, bi-flex wrench, 4" extension bar, coupler adaptor
Accessories	1/2" drive	FRP ratchet, 5" & 10" extension bars, 3/8"F:1/2"M T bar adaptor, flex head adaptor, universal joint
Regular sockets	1/4" drive 6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
Regular sockets	1/2" drive 12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27mm
Bits	1/4" hex	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex, 10mm hex, 1/8" hex, 9/64" hex, 5/32 hex, 3/16" hex, 7/32" hex, 1/4" hex, 3/8" hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6
Hex keys		1.5, 2.0, 2.5mm

## TM095 1/4” and 1/2” Drive Socket and Tool Set

95 piece ¼” and ½” drive socket set containing regular and deep ¼” drive metric sockets, ½” drive regular 6 point sockets, FRP ratchets, universal joints, extension bars, ½” drive spark plug sockets and other socket accessories and screwdriver bits. The set also includes combination spanners and screwdrivers. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 6.3 kilos)

Accessories	¼" drive	FRP ratchet, universal joint, 2" and 4" extensions, sliding T bar, spinner handle, coupler adaptor, 50mm magnetic bit holder
Regular sockets	¼" drive 6 point	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	¼" drive 6 point	4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
Regular sockets	½" drive 6 point	10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32mm
Accessories	½" drive	FRP ratchet, 5" and 10" extensions, 3/8"F:1/2"M T bar adaptor, universal joint, 5/16" hex coupler Adaptor, 21mm spark plug socket
Combination spanners		8, 10, 12, 13, 14, 17mm
Screwdrivers		PH1x75mm, PH2x100mm, PZ1x75mm, PZ2x100mm, 3mm flat x 75mm, 4mm flat x 100mm
Bits (25mm)	¼" hex	4, 5.5 and 7mm flat, PH0,PH1, PH2, PH3, PH4, PZ0, PZ1, PZ2, PZ3, 3, 4, 5, 6, 8 and 10mm hexagon, ¼" male adaptor, TX8, TX10, TX15, TX20, TX25 TX27, TX30, TX40
Bits (30mm)	5/16" hex	TX45, TX50, TX55



## TM106 106 Piece 1/4” 3/8” & 1/2” Drive Socket Set

106 piece professional tool set, containing 1/4” and 3/8” drive regular 6 point sockets, 1/4” drive deep sockets, 3/8” drive spark plug sockets, 1/2” drive regular 12 point sockets, FRP ratchets, universal joints coupler adaptors, extension bars, bi-flex wrench, bit driver, adaptors, double flex wrenches, combination spanners, ring holder, adjustable wrench and a full range of screwdriver bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 7.85 kilos)



Accessories	1/4" drive	FRP ratchet, bi-flex wrench, universal joint,2" & 3" extensions, coupler adaptor, bits driver handle with magnetic bits holder
Accessories	3/8" drive	FRP ratchet, 3" & 6" extensions, universal joint, 3/8"F:1/4"MT bar adaptor, 3/8"F:1/2"M T bar adaptor, coupler adaptor
Accessories	1/2" drive	2½" & 10" extensions, 1/2"F:3/8"M T bar adaptor, flex head adaptor
Regular sockets	1/4" drive 6 point	4, 5, 6, 7, 8, 10, 12, 13mm
Deep sockets	1/4" drive 6 point	6, 7, 8, 10, 12, 13mm
Regular sockets	3/8" drive 6 point	8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Spark plug sockets	3/8" drive	16, 21mm
Regular sockets	1/2" drive 12 point	19, 24, 27, 30, 32mm
Bits (25mm)	1/4" hex	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40 3mm hex, 4mm hex, 5mm, 6mm hex, 8mm hex, 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat, XZN M5, XZN M6
Wrenches		8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, ring holder, 8x9mm, 10x11mm, 12x13mm, 14x15mm double flex wrenches, 10" adjustable

# Socket Sets

## TM111 111 Piece Socket Set

111 piece socket set containing 1/4”, 3/8” and 1/2” drive regular sockets and accessories, 3/8” drive deep sockets, spark plug sockets plus 1/4” and 5/16” hex bits. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x103mm, 8.1 kilos)



Accessories	1/4" drive	FRP ratchet, 5/16" hex coupler adaptor, 6" flexible extension, 2" and 4" extension bars, spinner handle, universal joint, 1/4"Fx3/8"M adaptor, 4" T bar
Accessories	3/8" drive	FRP ratchet, bits holder 1/4" hex, 3" and 6" extensin bars, spinner handle, universal joint, 3/8"Fx1/2"M adaptor, spin disc
Accessories	1/2" drive	FRP ratchet, 5/16" hex coupler, 2 ½" and 10" extension bars, 1/2"Fx3/8"M adaptor, spin disc
Regular sockets	1/4" drive 6 point	4, 5, 6, 7, 8, 10, 12mm
		3/16" 7/32" 1/4" 9/32" 3/8" 7/16"
Regular sockets	3/8" drive 6 point	8, 9, 10, 12, 13, 14, 15, 16, 17mm
		3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"
Deep sockets	3/8" drive 6 point	8, 9, 10, 12, 13, 14, 15, 16, 17mm
		3/8" 7/16" 1/2" 9/16" 11/16" 3/4" 13/16" 7/8"
Regular socket	1/2" drive 6 point	17, 24, 27, 32mm
		11/16" 3/4" 13/16" 7/8" 1" 1 ½"
Spark plug sockets	3/8" drive 6 point	16, 21mm
Bits	5/16" hex coupler adaptor	3mm hex, 4mm hex, 5mm hex, 6mm hex, 7mm hex, 10mm hex, 1/8" hex, 9/64" hex, 5/32" hex, 3/16" hex, 1/4" hex, 5/16" hex, TX10, TX15, TX20, TX25, TX30, TX40, 4mm, 5.5mm, 7mm flat, PH1, PH2, PH3, PZ1, PZ2, PZ3
Bits	5/16" hex	TX45, TX50

## TM127 1/ 4”, 3/8” and 1 /2” Drive Metric and AF Socket and Tool Set

127 piece 1/4”, 3/8” and 1/2” drive socket set containing regular and deep ¼” drive sockets, 3/8” and 1/2” drive regular sockets, FRP ratchets, extension bars, universal joints, spark plug sockets, adaptors and screwdriver bits. The set also includes combination spanners, an adjustable wrench and a ratcheting bits driver. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (466x258x105mm, 7.5 kilos)



Accessories	1/4" drive	FRP ratchet, universal joint, 2" and 3" extension bars, coupler adaptor
Regular sockets	1/4" drive 6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
		3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
Deep sockets	1/4" drive 6 point	6, 7, 8, 10, 12, 13mm
Accessories	3/8" drive	FRP ratchet, universal joint, 3" and 6" extension bars, coupler adaptor, 16 and 21mm spark plug sockets,
Regular sockets	3/8" drive 6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
		5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
Accessories	1/2" drive	2½" and 10" extension bars, flex head adaptor, 1/2"F:3/8"M adaptor
Regular sockets	1/2" drive 12 point	19, 24, 27, 30, 32mm
Wrenches		8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm combination spanners, spanner ring, 8" adjustable wrench
Bits	1/4" hex	Ratcheting bits driver, 4mm (x 2), 5.5mm (x 2) and 7mm flat (x 2), PH0, PH1 (x 2) PH2 (x 2), PH3, PZ1 (x 2), PZ2 (x 2), PZ3, 1/4"M adaptor, 3, 4, 5, 6, 8, 10mm hex, 1/8", 9/64", 5/32", 3/16", 1/4", 3/8" hex, TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 5 and 6 XZN.

Socket Sets

TT1205 1/2” drive ratchet & accessories

1/2” drive accessories set containing ratchet handle with quick release and twist reverse. Also includes universal joint and 5” and 10” extensions. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Accessories	1/2” drive	Ratchet, universal joint, 5” and 10” extensions, 3/8” F:1/2” M T bar adaptor
-------------	------------	--



TT1211 1/2” drive deep socket set

Set containing 10 12 point deep 1/2” drive sockets and 10” flex handle. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 2.0 kilos)

Accessories	1/2" drive	10" flex handle	
Deep sockets	1/2" drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



TT1217 1/2” drive socket set (12 point)

Socket set containing 12 point sockets. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 1.8 kilos)

Regular sockets	1/2” drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
-----------------	------------	----------	--



TT1217-6 1/2” drive socket set (6 point)

Socket set containing 6 point sockets. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 1.8 kilos)

Regular sockets	1/2” drive	6 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
-----------------	------------	---------	--



TT1218 1/2” drive socket set (12 point)

17 piece metric socket set containing 12 point sockets . Also contains ratchet handle with quick release and twist reverse, 2 1/2” and 6” extension bars, 3/8-1/2” adaptor as well as a universal joint. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 2.2 kilos)

Accessories	1/2" drive	Ratchet, universal joint, 2½" and 6" extensions, 3/8" F:1/2" M T bar adaptor		
Regular sockets	1/2" drive	12 point	10, 11, 12, 13, 14, 15, 16,17, 18, 19, 22, 24mm	



TT1218-6 1/2” drive socket set (6 point)

17 piece metric socket set containing 6 point sockets . Also contains ratchet handle with quick release and twist reverse, 2 1/2” and 6” extension bars, 3/8-1/2” adaptor as well as a universal joint. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 2.2 kilos)

Accessories	1/2" drive	Ratchet, universal joint, 2½" and 6" extensions, 3/8" F:1/2" M T bar adaptor		
Regular sockets	1/2" drive	6 point	10, 11, 12, 13, 14, 15, 16,17, 18, 19, 22, 24mm	



Socket Sets

TT1215AF 1/2” Drive AF socket set

Socket set containing 15 regular AF 12 point sockets. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 1.7 kilos)

Regular sockets	1/2” drive	12 point	3/8” 7/16” 1/2” 9/16” 5/8” 11/16” 3/4” 13/16” 7/8” 15/16” 1” 1¼” 1½” 1¾” 1⅞”
-----------------	------------	----------	--



TTHEX16 1/2” drive hex bit socket set

Set containing 16 1/2” drive bit sockets for internal hex holes. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

55mm	hex bit sockets	5, 6, 7, 8, 9, 10, 12, 14, 17mm
100mm	hex bit sockets	5, 6, 10, 12, 14, 17mm
115mm	hex bit sockets	8mm



TTHEX23 1/2” drive hex bit socket set

Set containing 20 bits, regular and long, for internal hex holes. Also includes 2 adaptors and a 2mm hex mini screwdriver for tightening the retaining grub screw in the adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Adaptors	1/2” drive	10mm hex bit adaptor, 12mm hex bit adaptor
Hex bits 40mm	10mm hex drive	5, 6, 7, 8, 9, 10mm
Hex bits 40mm	12mm hex drive	12, 14, 17, 19mm
Hex bits 75mm	10mm hex drive	5, 6, 7, 8, 9, 10mm
Hex bits 75mm	12mm hex drive	12, 14, 17, 19mm
Accessories		2mm hex mini screwdriver



TTTX18 1/2” drive TX bit socket set

Set containing 18 1/2” drive bit sockets for internal TX holes. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 1.5 kilos)

55mm TX bit sockets	TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
110mm TX bit sockets	TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60



TTTX23 1/2”drive TX bit socket set

Set containing 20 bits. regular and long for internal TX heads. Also includes 2 adaptors and a 2mm hex mini screwdriver for tightening the retaining grub screws in the adaptors. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it’s own or as part of the Teng Tools TC control system. (265x142x50mm, 1.1 kilos)

Adaptors	1/2” drive	10mm hex adaptor
		12mm hex adaptor
Hex bits 40mm	10mm drive	TX20, 25, 27, 30, 40, 45, 50, 55
	12mm drive	TX60, 70
Hex bits 75mm	10mm drive	TX20, 25, 27, 30, 40, 45, 50, 55
	12mm drive	TX60, 70
Accessories		2mm hex mini screwdriver





Socket Sets

TTRS15 1/2” Ribe & XZN socket set

Set containing 15 1/2” drive Ribe and XZN bit sockets with a satin finish. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.66 kilos)

Ribe bit sockets	100mm	No. 4, 5, 6, 8, 10, 11, 12, 13
XZN bit sockets	100mm	No. 5, 6, 8, 10, 12, 14, 16



TTTXH15 1/2” drive hex & TX bit socket set

15 piece set containing 100mm long bit sockets. 9 pieces for internal TX heads and 6 pieces for internal hex holes. Supplied in the unique Teng Tools TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. (265x142x50mm, 1.40 kilos)

TX bit sockets	1/2” drive	TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
Hex bit sockets	1/2” drive	5mm, 6mm, 7mm, 8mm, 10mm, 12mm



TED1227 1/2” Drive Socket Set


Set containing 1/2” drive regular and deep 12 point sockets and a range of accessories. Supplied in the unique Teng Tools double width TC tray with removable lid and dove tail joints for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (265x284x50mm, 3.59 kilos)

Accessories	1/2” drive	72 teeth ratchet, 2½” and 6” extension bars, universal joint, 3/8”F:1/2”M adaptor
Regular sockets	1/2” drive	12 point10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm
Deep sockets	1/2” drive	12 point10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



TTESK63 1/2” drive socket set

Set containing 1/2” drive regular and deep metric sockets and a comprehensive range of accessories. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 11.03 kilos)




Accessories	1/2” drive	72 teeth ratchet, speed brace, sliding T bar, 2¼” 5” 6” and 20” extension bars, 3” 6” and 10” wobble extension bars, universal joint, 1/2”F:3/8”M T bar adaptor, 1/2”F:3/4”M adaptor, 16mm, 18mm, 21mm spark plug sockets, coupler adaptors for 5/16”, 10mm and 12mm hex bits, flex head adaptor
Regular sockets	1/2” drive	12 point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30, 32, 34mm
Deep sockets	1/2” drive	12 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 36mm

Socket Sets

TTESK77 1/4” 3/8” 1/2” drive socket set


76 piece 1/4”, 3/8” and 1/2” drive socket set containing 1/4”, 3/8” and 1/2” drive sockets and accessories. Covers all the popular sizes from 4 to 24mm with selected sizes in deep and a range of 1/2” drive impact sockets. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 7.2 kilos)



Accessories	1/4” drive	FRP ratchet, 6” spinner handle, 6” and 12” extension bars, universal joint, T-bar and T-bar handle adaptor.
Regular Sockets	1/4” drive	6 point 4, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13mm
Deep Sockets	1/4” drive	6 point 7, 8, 10, 12, 13mm
Accessories	3/8” drive	FRP ratchet, 3” wobble extension bar, 6” extension bar, universal joint, 3/8” F:1/4” M adaptor, 3/8”F:1/2”M adaptor, rotating spinner handle.
Regular Sockets	3/8” drive	6 point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm.
Accessories	1/2” drive	FRP ratchet, 6” wobble extension bar, 10” extension bar, universal joint, 1/2”F:3/8”M adaptor.
Regular Sockets	1/2” drive	6 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm
Impact Sockets	1/2” drive	regular 6 point 13, 15, 16, 17, 18, 19, 22, 24mm
Impact Sockets	1/2” drive	deep 6 point 13, 15, 16, 17, 18, 19, 22, 24mm

TTESK85 85 Piece 1/4” 3/8” 1/2” drive socket set

85 piece socket bit set containing 1/4”, 3/8” and 1/2” drive bit sockets. Covers all the popular types and sizes including screwdriver type, hex bits, TX and TPX, Ribe and XZN. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x50mm, 4.5 kilos)



Fiat bit sockets	1/4” drive	4, 5.5, 7mm	PH bit sockets	1/4” drive	PH0, PH1, PH2, PH3
PZ bit sockets	1/4” drive	PZ1, PZ2, PZ3	TX-E sockets	1/4” drive	E4, E5, E6, E7, E8
TX bit sockets	1/4” drive	TX10, TX15, TX20, TX25, TX27, TX30, TX40	Accessories	3/8” drive	3” extension bar
TX-E sockets	3/8” drive	E10, E12, E14, E16, E18	TX bit sockets	3/8” drive	TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50
TPX bit sockets	3/8” drive	TPX10, TPX15, TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50	Hex bit sockets	1/2” drive	3, 4, 5.5, 6, 7, 8, 10, 12mm
TX bit sockets	1/2” drive	TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60	Hex bit sockets	1/2” drive	5, 6, 7, 8, 10, 12mm
Ribe bit sockets	1/2” drive	4, 5, 6, 8, 10, 11, 12, 13	XZN bit sockets	1/2” drive	5, 6, 8, 10, 12, 14, 16

M1215AF 1/2” Drive regular AF sockets

Set of 15 12 point AF sockets of chrome vanadium steel. Supplied on a clip rail with socket clips. Satin finish.

Accessories	1 clip rail (430mm in length) complete with 15 1/2” drive socket clips
Regular sockets	1/2” drive 12 point 3/8” 7/16” 1/2” 9/16” 5/8” 11/16” 3/4” 3/16” 7/8” 1½” 1” 1⅞” 1½” 1⅞” 1¼”



M1215MM 1/2” Drive regular sockets

Set of 15 12 point metric sockets of chrome vanadium steel. Supplied on a clip rail with socket clips. Satin finish.

Accessories	1 clip rail (430mm in length) complete with 15 1/2” drive socket clips
Regular sockets	1/2” drive 12 point 10, 12, 13, 14, 15, 16, 17,18, 19, 21, 22, 24, 27, 30, 32mm



M1207 1/2” Drive deep 12 point sockets

Set of 8 deep 12 point metric sockets supplied on a clip rail. Chrome vanadium steel. Satin finish.

Accessories	1 clip rail (210mm in length) complete with 8 1/2” drive socket clips
Deep sockets	1/2” drive 12 point 13, 14, 15, 17, 19, 21, 22, 24mm



Socket Sets

M1208-6 1/2" Drive deep 6 point sockets

Set of 8 deep 6 point metric sockets supplied on a clip rail.  
Chrome vanadium steel. Satin finish.

Accessories	1 clip rail (210mm in length) complete with 8 1/2" drive socket clips	
Deep sockets 1/2" drive 6 point	13, 14, 15, 16, 17, 18, 19, 24mm	



M1210 1/2" Drive TX-E sockets

Set of 9 1/2" drive TX-E sockets supplied on a clip rail for external TX heads.  
Satin finish.


Accessories	1 clip rail (230mm in length) complete with 9 1/2" drive socket clips	
TX-E sockets 1/2" drive	E10, E11, E12, E14, E16, E18, E20, E22, E24	



M1212 1/2" Drive hex bit sockets

Set of 9 1/2" drive metric hex bit sockets for internal hex holes supplied on a clip rail. Satin finish.

Accessories	1 clip rail (220mm in length) complete with 9 1/2" drive socket clips	
Hex bit sockets 1/2" drive	5, 6, 7, 8, 9, 10, 12, 14, 17mm	



M1211 1/2" Drive hex bit sockets

Set of 6 100mm long 1/2" drive hex bit sockets supplied on a clip rail.  
Chrome vanadium. Satin finish.

Accessories	1 clip rail (160mm in length) complete with 6 1/2" drive socket clips	
Hex bit sockets 1/2" drive	5, 6, 7, 8, 10, 12mm	



M1209AF 1/2" Drive AF hex bit sockets

Set of 9 1/2" drive AF hex bit sockets for internal hex holes supplied on a clip rail.  
Satin finish.

Accessories	1 clip rail (220mm in length) completer with 9 1/2" drive socket clips	
Hex bit sockets 1/2" drive	3/16", 7/32", 1/4", 9/32", 5/16", 3/8", 1/2", 9/16", 5/8"	



Socket Sets

M1213TPX 1/2" Drive TPX bit sockets

Set of 9 1/2" drive TPX bit sockets for internal TPX heads  
(also for tamper proof screws) supplied on a clip rail. Satin finish.

Accessories	1 clip rail (220mm in length) complete with 9 1/2" drive socket clips	
TPX bit sockets 1/2" drive	TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50, TPX55, TPX60	



M1213TX 1/2" Drive TX bit sockets

Set of 9 1/2" drive TX bit sockets for internal TX heads  
supplied on a clip rail. Satin finish.

Accessories	1 clip rail (220mm in length) complete with 9 1/2" drive socket clips	
TX bit sockets 1/2" drive	TX20, TX25, TX27, TX30, TX40,TX45, TX50, TX55, TX60	



3/4" Drive Socket Sets

T3418-6 3/4" drive Socket Set

18 piece 3/4" drive socket set containing 6 point sockets, 450mm T handle, 200 and 400mm extension bars as well as a 72 teeth ratchet with quick release and twist reverse. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (580x325x96mm, 14.2 kilos)

Accessories 3/4" drive	Quick release 72 teeth ratchet, 200 & 400mm extensions, sliding T-bar	
Regular sockets 3/4" drive 6 point	19, 21, 22, 24, 27, 30, 32, 33,34, 36, 38, 41, 46, 50mm	



T3422S 3/4" drive Socket Set

22 piece 3/4" drive socket set containing 8 metric 6 point sockets and 9 AF 12 point sockets, ratchet handle with 72 teeth and quick release button, 100, 200 and 400mm extension bars with security locking mechanism and a sliding T bar. Supplied in a plastic carrying case with latch lid, retractable handle and metal pin hinges. The underside of the case is fitted with rubber feet to prevent it from sliding. (580x325x96mm, 15.0 kilos)

Accessories 3/4" drive	Quick release 72 teeth ratchet, 100, 200 and 400mm extension bars, sliding T bar	
Regular sockets 3/4" drive 6 point	19, 21, 24, 27, 32, 34, 36, 50mm	
Regular sockets 3/4" drive 12 point	7/8" (22mm), 1" 1/8", 1 1/4" (30mm) 1 1/2" (33mm), 1 3/4" (38mm), 1 7/8" (41mm), 1 1/2" (46mm), 2"	





### TTX3404 3/4" ratchet & accessories

4 piece 3/4" drive set containing 72 teeth ratchet handle with quick release and twist reverse, two extension bars 200mm and 400mm as well as a sliding T bar. Supplied in the unique Teng Tools TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.1 kilos)



Accessories	3/4" drive	Quick release ratchet handle, 200 and 400mm extensions, sliding T bar
-------------	------------	--

## TEX3403 3/4" Drive Ratchet and Accessories

3 piece 3/4" drive set containing a 72 teeth ratchet handle with quick release and twist reverse together with a 16" extension bar and sliding T bar, supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system.  
(570x115x70mm, 5.3 kilos)



Accessories	3/4" drive	Quick release ratchet handle, 400mm, extension bar, sliding T bar
-------------	------------	---

**TTX3404S** 3/4" drive ratchet and accessories with safety locking mechanism

4 piece 3/4" drive set containing 72 teeth ratchet handle with quick release and twist reverse, two extension bars 200mm and 400mm as well as a sliding T bar. The accessories incorporate a safety locking mechanism to avoid tools being dropped. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. (570x115x70mm, 6.5 kilos)



**Accessories** 3/4" drive Quick release ratchet handle,  
200 and 400mm extensions, sliding T bar

**TTX3414 3/4" drive socket set**

14 piece set containing 6 point metric sockets.  
Chrome vanadium steel. Supplied in the unique Teng Tools  
TTX tray for use on it's own or as part of the Teng Tools TC  
control system. (570x115x74mm, 5.5 kilos)



**Regular sockets 3/4" drive 6 point** 19, 21, 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46, 50mm

## TEX3410 3/4" Drive Socket Set

10 piece set containing 6 point metric sockets. Chrome vanadium steel. Supplied in the unique Teng Tools drawer width TTX tray for use on it's own or as part of the Teng Tools TC control system. The tools are held in place using the Teng Tools three colour pre-cut EVA foam tool control system. (570x115x70mm, 4.6 kilos)



Regular sockets	3/4" drive	6 point	22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm
-----------------	------------	---------	--

**TTX34AF** 3/4" drive AF socket set

14 piece set containing 12 point AF sockets.  
Chrome vanadium steel. Supplied in the unique Teng Tools  
TTX tray for use on it's own or as part of the Teng Tools TC  
control system. (570x115x74mm, 5.5 kilos)



Regular sockets 3/4" drive	12 point	7/8" 15/16" 1" 1 1/16" 1 1/8" 1 1/4" 1 1/2"
		1 3/8" 1 5/8" 1 3/4" 1 7/8" 1 1/2" 1 5/8" 1 3/4" 1 5/8"

## TTESK32 3/4" drive socket set

Set containing 3/4" drive regular metric and AF sockets together with a 72 teeth ratchet, extension bar, sliding T bar and flex handle – all with safety locking mechanism to hold sockets on tightly. Supplied in the Teng Tools three colour pre-cut EVA foam tool control system. (570x375x75mm, 17.27 kilos)



Accessories	3/4" drive	72 teeth ratchet, sliding T bar, 16" extension bar, 19" flex handle - all accessories with safety locking.																
Regular sockets	3/4" drive	6 point	19, 21, 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46, 50mm															
Regular sockets	3/4" drive	12 point	7/8" 15/16" 1" 1 1/8" 1 1/4" 1 1/2" 1 3/4" 1 7/8" 2" 2 1/8" 2 1/4" 2 1/2" 2 3/4" 3" 3 1/8" 3 1/4" 3 1/2" 3 3/4" 4" 4 1/8" 4 1/4" 4 1/2" 4 3/4" 5" 5 1/8" 5 1/4" 5 1/2" 5 3/4" 6" 6 1/8" 6 1/4" 6 1/2" 6 3/4" 7" 7 1/8" 7 1/4" 7 1/2" 7 3/4" 8" 8 1/8" 8 1/4" 8 1/2" 8 3/4" 9" 9 1/8" 9 1/4" 9 1/2" 9 3/4" 10" 10 1/8" 10 1/4" 10 1/2" 10 3/4" 11" 11 1/8" 11 1/4" 11 1/2" 11 3/4" 12" 12 1/8" 12 1/4" 12 1/2" 12 3/4" 13" 13 1/8" 13 1/4" 13 1/2" 13 3/4" 14" 14 1/8" 14 1/4" 14 1/2" 14 3/4" 15" 15 1/8" 15 1/4" 15 1/2" 15 3/4" 16" 16 1/8" 16 1/4" 16 1/2" 16 3/4" 17" 17 1/8" 17 1/4" 17 1/2" 17 3/4" 18" 18 1/8" 18 1/4" 18 1/2" 18 3/4" 19" 19 1/8" 19 1/4" 19 1/2" 19 3/4" 20" 20 1/8" 20 1/4" 20 1/2" 20 3/4" 21" 21 1/8" 21 1/4" 21 1/2" 21 3/4" 22" 22 1/8" 22 1/4" 22 1/2" 22 3/4" 23" 23 1/8" 23 1/4" 23 1/2" 23 3/4" 24" 24 1/8" 24 1/4" 24 1/2" 24 3/4" 25" 25 1/8" 25 1/4" 25 1/2" 25 3/4" 26" 26 1/8" 26 1/4" 26 1/2" 26 3/4" 27" 27 1/8" 27 1/4" 27 1/2" 27 3/4" 28" 28 1/8" 28 1/4" 28 1/2" 28 3/4" 29" 29 1/8" 29 1/4" 29 1/2" 29 3/4" 30" 30 1/8" 30 1/4" 30 1/2" 30 3/4" 31" 31 1/8" 31 1/4" 31 1/2" 31 3/4" 32" 32 1/8" 32 1/4" 32 1/2" 32 3/4" 33" 33 1/8" 33 1/4" 33 1/2" 33 3/4" 34" 34 1/8" 34 1/4" 34 1/2" 34 3/4" 35" 35 1/8" 35 1/4" 35 1/2" 35 3/4" 36" 36 1/8" 36 1/4" 36 1/2" 36 3/4" 37" 37 1/8" 37 1/4" 37 1/2" 37 3/4" 38" 38 1/8" 38 1/4" 38 1/2" 38 3/4" 39" 39 1/8" 39 1/4" 39 1/2" 39 3/4" 40" 40 1/8" 40 1/4" 40 1/2" 40 3/4" 41" 41 1/8" 41 1/4" 41 1/2" 41 3/4" 42" 42 1/8" 42 1/4" 42 1/2" 42 3/4" 43" 43 1/8" 43 1/4" 43 1/2" 43 3/4" 44" 44 1/8" 44 1/4" 44 1/2" 44 3/4" 45" 45 1/8" 45 1/4" 45 1/2" 45 3/4" 46" 46 1/8" 46 1/4" 46 1/2" 46 3/4" 47" 47 1/8" 47 1/4" 47 1/2" 47 3/4" 48" 48 1/8" 48 1/4" 48 1/2" 48 3/4" 49" 49 1/8" 49 1/4" 49 1/2" 49 3/4" 50" 50 1/8" 50 1/4" 50 1/2" 50 3/4" 51" 51 1/8" 51 1/4" 51 1/2" 51 3/4" 52" 52 1/8" 52 1/4" 52 1/2" 52 3/4" 53" 53 1/8" 53 1/4" 53 1/2" 53 3/4" 54" 54 1/8" 54 1/4" 54 1/2" 54 3/4" 55" 55 1/8" 55 1/4" 55 1/2" 55 3/4" 56" 56 1/8" 56 1/4" 56 1/2" 56 3/4" 57" 57 1/8" 57 1/4" 57 1/2" 57 3/4" 58" 58 1/8" 58 1/4" 58 1/2" 58 3/4" 59" 59 1/8" 59 1/4" 59 1/2" 59 3/4" 60" 60 1/8" 60 1/4" 60 1/2" 60 3/4" 61" 61 1/8" 61 1/4" 61 1/2" 61 3/4" 62" 62 1/8" 62 1/4" 62 1/2" 62 3/4" 63" 63 1/8" 63 1/4" 63 1/2" 63 3/4" 64" 64 1/8" 64 1/4" 64 1/2" 64 3/4" 65" 65 1/8" 65 1/4" 65 1/2" 65 3/4" 66" 66 1/8" 66 1/4" 66 1/2" 66 3/4" 67" 67 1/8" 67 1/4" 67 1/2" 67 3/4" 68" 68 1/8" 68 1/4" 68 1/2" 68 3/4" 69" 69 1/8" 69 1/4" 69 1/2" 69 3/4" 70" 70 1/8" 70 1/4" 70 1/2" 70 3/4" 71" 71 1/8" 71 1/4" 71 1/2" 71 3/4" 72" 72 1/8" 72 1/4" 72 1/2" 72 3/4" 73" 73 1/8" 73 1/4" 73 1/2" 73 3/4" 74" 74 1/8" 74 1/4" 74 1/2" 74 3/4" 75" 75 1/8" 75 1/4" 75 1/2" 75 3/4" 76" 76 1/8" 76 1/4" 76 1/2" 76 3/4" 77" 77 1/8" 77 1/4" 77 1/2" 77 3/4" 78" 78 1/8" 78 1/4" 78 1/2" 78 3/4" 79" 79 1/8" 79 1/4" 79 1/2" 79 3/4" 80" 80 1/8" 80 1/4" 80 1/2" 80 3/4" 81" 81 1/8" 81 1/4" 81 1/2" 81 3/4" 82" 82 1/8" 82 1/4" 82 1/2" 82 3/4" 83" 83 1/8" 83 1/4" 83 1/2" 83 3/4" 84" 84 1/8" 84 1/4" 84 1/2" 84 3/4" 85" 85 1/8" 85 1/4" 85 1/2" 85 3/4" 86" 86 1/8" 86 1/4" 86 1/2" 86 3/4" 87" 87 1/8" 87 1/4" 87 1/2" 87 3/4" 88" 88 1/8" 88 1/4" 88 1/2" 88 3/4" 89" 89 1/8" 89 1/4" 89 1/2" 89 3/4" 90" 90 1/8" 90 1/4" 90 1/2" 90 3/4" 91" 91 1/8" 91 1/4" 91 1/2" 91 3/4" 92" 92 1/8" 92 1/4" 92 1/2" 92 3/4" 93" 93 1/8" 93 1/4" 93 1/2" 93 3/4" 94" 94 1/8" 94 1/4" 94 1/2" 94 3/4" 95" 95 1/8" 95 1/4" 95 1/2" 95 3/4" 96" 96 1/8" 96 1/4" 96 1/2" 96 3/4" 97" 97 1/8" 97 1/4" 97 1/2" 97 3/4" 98" 98 1/8" 98 1/4" 98 1/2" 98 3/4" 99" 99 1/8" 99 1/4" 99 1/2" 99 3/4" 100" 100 1/8" 100 1/4" 100 1/2" 100 3/4" 101" 101 1/8" 101 1/4" 101 1/2" 101 3/4" 102" 102 1/8" 102 1/4" 102 1/2" 102 3/4" 103" 103 1/8" 103 1/4" 103 1/2" 103 3/4" 104" 104 1/8" 104 1/4" 104 1/2" 104 3/4" 105" 105 1/8" 105 1/4" 105 1/2" 105 3/4" 106" 106 1/8" 106 1/4" 106 1/2" 106 3/4" 107" 107 1/8" 107 1/4" 107 1/2" 107 3/4" 108" 108 1/8" 108 1/4" 108 1/2" 108 3/4" 109" 109 1/8" 109 1/4" 109 1/2" 109 3/4" 110" 110 1/8" 110 1/4" 110 1/2" 110 3/4" 111" 111 1/8" 111 1/4" 111 1/2" 111 3/4" 112" 112 1/8" 112 1/4" 112 1/2" 112 3/4" 113" 113 1/8" 113 1/4" 113 1/2" 113 3/4" 114" 114 1/8" 114 1/4" 114 1/2" 114 3/4" 115" 115 1/8" 115 1/4" 115 1/2" 115 3/4" 116" 116 1/8" 116 1/4" 116 1/2" 116 3/4" 117" 117 1/8" 117 1/4" 117 1/2" 117 3/4" 118" 118 1/8" 118 1/4" 118 1/2" 118 3/4" 119" 119 1/8" 119 1/4" 119 1/2" 119 3/4" 120" 120 1/8" 120 1/4" 120 1/2" 120 3/4" 121" 121 1/8" 121 1/4" 121 1/2" 121 3/4" 122" 122 1/8" 122 1/4" 122 1/2" 122 3/4" 123" 123 1/8" 123 1/4" 123 1/2" 123 3/4" 124" 124 1/8" 124 1/4" 124 1/2" 124 3/4" 125" 125 1/8" 125 1/4" 125 1/2" 125 3/4" 126" 126 1/8" 126 1/4" 126 1/2" 126 3/4" 127" 127 1/8" 127 1/4" 127 1/2" 127 3/4" 128" 128 1/8" 128 1/4" 128 1/2" 128 3/4" 129" 129 1/8" 129 1/4" 129 1/2" 129 3/4" 130" 130 1/8" 130 1/4" 130 1/2" 130 3/4" 131" 131 1/8" 131 1/4" 131 1/2" 131 3/4" 132" 132 1/8" 132 1/4" 132 1/2" 132 3/4" 133" 133 1/8" 133 1/4" 133 1/2" 133 3/4" 134" 134 1/8" 134 1/4" 134 1/2" 134 3/4" 135" 135 1/8" 135 1/4" 135 1/2" 135 3/4" 136" 136 1/8" 136 1/4" 136 1/2" 136 3/4" 137" 137 1/8" 137 1/4" 137 1/2" 137 3/4" 138" 138 1/8" 138 1/4" 138 1/2" 138 3/4" 139" 139 1/8" 139 1/4" 139 1/2" 139 3/4" 140" 140 1/8" 140 1/4" 140 1/2" 140 3/4" 141" 141 1/8" 141 1/4" 141 1/2" 141 3/4" 142" 142 1/8" 142 1/4" 142 1/2" 142 3/4" 143" 143 1/8" 143 1/4" 143 1/2" 143 3/4" 144" 144 1/8" 144 1/4" 144 1/2" 144 3/4" 145" 145 1/8" 145 1/4" 145 1/2" 145 3/4" 146" 146 1/8" 146 1/4" 146 1/2" 146 3/4" 147" 147 1/8" 147 1/4" 147 1/2" 147 3/4" 148" 148 1/8" 148 1/4" 148 1/2" 148 3/4" 149" 149 1/8" 149 1/4" 149 1/2" 149 3/4" 150" 150 1/8" 150 1/4" 150 1/2" 150 3/4" 151" 151 1/8" 151 1/4" 151 1/2" 151 3/4" 152" 152 1/8" 152 1/4" 152 1/2" 152 3/4" 153" 153 1/8" 153 1/4" 153 1/2" 153 3/4" 154" 154 1/8" 154 1/4" 154 1/2" 154 3/4" 155" 155 1/8" 155 1/4" 155 1/2" 155 3/4" 156" 156 1/8" 156 1/4" 156 1/2" 156 3/4" 157" 157 1/8" 157 1/4" 157 1/2" 157 3/4" 158" 158 1/8" 158 1/4" 158 1/2" 158 3/4" 159" 159 1/8" 159 1/4" 159 1/2" 159 3/4" 160" 160 1/8" 160 1/4" 160 1/2" 160 3/4" 161" 161 1/8" 161 1/4" 161 1/2" 161 3/4" 162" 162 1/8" 162 1/4" 162 1/2" 162 3/4" 163" 163 1/8" 163 1/4" 163 1/2" 163 3/4" 164" 164 1/8" 164 1/4" 164 1/2" 164 3/4" 165" 165 1/8" 165 1/4" 165 1/2" 165 3/4" 166" 166 1/8" 166 1/4" 166 1/2" 166 3/4" 167" 167 1/8" 167 1/4" 167 1/2" 167 3/4" 168" 168 1/8" 168 1/4" 168 1/2" 168 3/4" 169" 169 1/8" 169 1/4" 169 1/2" 169 3/4" 170" 170 1/8" 170 1/4" 170 1/2" 170 3/4" 171" 171 1/8" 171 1/4" 171 1/2" 171 3/4" 172" 172 1/8" 172 1/4" 172 1/2" 172 3/4" 173" 173 1/8" 173 1/4" 173 1/2" 173 3/4" 174" 174 1/8" 174 1/4" 174 1/2" 174 3/4" 175" 175 1/8" 175 1/4" 175 1/2" 175 3/4" 176" 176 1/8" 176 1/4" 176 1/2" 176 3/4" 177" 177 1/8" 177 1/4" 177 1/2" 177 3/4" 178" 178 1/8" 178 1/4" 178 1/2" 178 3/4" 179" 179 1/8" 179 1/4" 179 1/2" 179 3/4" 180" 180 1/8" 180 1/4" 180 1/2" 180 3/4" 181" 181 1/8" 181 1/4" 181 1/2" 181 3/4" 182" 182 1/8" 182 1/4" 182 1/2" 182 3/4" 183" 183 1/8" 183 1/4" 183 1/2" 183 3/4" 184" 184 1/8" 184 1/4" 184 1/2" 184 3/4" 185" 185 1/8" 185 1/4" 185 1/2" 185 3/4" 186" 186 1/8" 186 1/4" 186 1/2" 186 3/4" 187" 187 1/8" 187 1/4" 187 1/2" 187 3/4" 188" 188 1/8" 188 1/4" 188 1/2" 188 3/4" 189" 189 1/8" 189 1/4" 189 1/2" 189 3/4" 190" 190 1/8" 190 1/4" 190 1/2" 190 3/4" 191" 191 1/8" 191 1/4" 191 1/2" 191 3/4" 192" 192 1/8" 192 1/4" 192 1/2" 192 3/4" 193" 193 1/8" 193 1/4" 193 1/2" 193 3/4" 194" 194 1/8" 194 1/4" 194 1/2" 194 3/4" 195" 195 1/8" 195 1/4" 195 1/2" 195 3/4" 196" 196 1/8" 196 1/4" 196 1/2" 196 3/4" 197" 197 1/8" 197 1/4" 197 1/2" 197 3/4" 198" 198 1/8" 198 1/4" 198 1/2" 198 3/4" 199" 199 1/8" 199 1/4" 199 1/2" 199 3/4" 200" 200 1/8" 200 1/4" 200 1/2" 200 3/4" 201" 201 1/8" 201 1/4" 201 1/2" 201 3/4" 202" 202 1/8" 202 1/4" 202 1/2" 202 3/4" 203" 203 1/8" 203 1/4" 203 1/2" 203 3/4" 204" 204 1/8" 204 1/4" 204 1/2" 204 3/4" 205" 205 1/8" 205 1/4" 205 1/2" 205 3/4" 206" 206 1/8" 206 1/4" 206 1/2" 206 3/4" 207" 207 1/8" 207 1/4" 207 1/2" 207 3/4" 208" 208 1/8" 208 1/4" 208 1/2" 208 3/4" 209" 209 1/8" 209 1/4" 209 1/2" 209 3/4" 210" 210 1/8" 210 1/4" 210 1/2" 210 3/4" 211" 211 1/8" 211 1/4" 211 1/2" 211 3/4" 212" 212 1/8" 212 1/4" 212 1/2" 212 3/4" 213" 213 1/8" 213 1/4" 213 1/2" 213 3/4" 214" 214 1/8" 214 1/4" 214 1/2" 214 3/4" 215" 215 1/8" 215 1/4" 215 1/2" 215 3/4" 216" 216 1/8" 216 1/4" 216 1/2" 216 3/4" 217" 217 1/8" 217 1/4" 217 1/2" 217 3/4" 218" 218 1/8" 218 1/4" 218 1/2" 218 3/4" 219" 219 1/8" 219 1/4" 219 1/2" 219 3/4" 220" 220 1/8" 220 1/4" 220 1/2" 220 3/4" 221" 221 1/8" 221 1/4" 221 1/2" 221 3/4" 222" 222 1/8" 222 1/4" 222 1/2" 222 3/4" 223" 223 1/8" 223 1/4" 223 1/2" 223 3/4" 224" 224 1/8" 224 1/4" 224 1/2" 224 3/4" 225" 225 1/8" 225 1/4" 225 1/2" 225 3/4" 226" 226 1/8" 226 1/4" 226 1/2" 226 3/4" 227" 227 1/8" 227 1/4" 227 1/2" 227 3/4" 228" 228 1/8" 228 1/4" 228 1/2" 228 3/4" 229" 229 1/8" 229 1/4" 229 1/2" 229 3/4" 230" 230 1/8" 230 1/4" 230 1/2" 230 3/4" 231" 231 1/8" 231 1/4" 231 1/2" 231 3/4" 232" 232 1/8" 232 1/4" 232 1/2" 232 3/4" 233" 233 1/8" 233 1/4" 233 1/2" 233 3/4" 234" 234 1/8" 234 1/4" 234 1/2" 234 3/4" 235" 235 1/8" 235 1/4" 235 1/2" 235 3/4" 236" 236 1/8" 236 1/4" 236 1/2" 236 3/4" 237" 237 1/8" 237 1/4" 237 1/2" 237 3/4" 238" 238 1/8" 238 1/4" 238 1/2" 238 3/4" 239" 239 1/8" 239 1/4" 239 1/2" 239 3/4" 240" 240 1/8" 240 1/4" 240 1/2" 240 3/4" 241" 241 1/8" 241 1/4" 241 1/2" 241 3/4" 242" 242 1/8" 242 1/4" 242 1/2" 242 3/4" 243" 243 1/8" 243 1/4" 243 1/2" 243 3/4" 244" 244 1/8" 244 1/4" 244 1/2" 244 3/4" 245" 245 1/8" 245 1/4" 245 1/2" 245 3/4" 246" 246 1/8" 246 1/4" 246 1/2" 246 3/4" 247" 247 1/8" 247 1/4" 247 1/2" 247 3/4" 248" 248 1/8" 248 1/4" 248 1/2" 248 3/4" 249" 249 1/8" 249 1/4" 249 1/2" 249 3/4" 250" 250 1/8" 250 1/4" 250 1/2" 250 3/4" 251" 251 1/8" 251 1/4" 251 1/2" 251 3/4" 252" 252 1/8" 252 1/4" 252 1/2" 252 3/4" 253" 253 1/8" 253 1/4" 253 1/2" 253 3/4" 254" 254 1/8" 254 1/4" 254 1/2" 254 3/4" 255" 255 1/8" 255 1/4" 255 1/2" 255 3/4" 256" 256 1/8" 256 1/4" 256 1/2" 256 3/4" 257" 257 1/8" 257 1/4" 257 1/2" 257 3/4" 258" 258 1/8" 258 1/4" 258 1/2" 258 3/4" 259" 259 1/8" 259 1/4" 259 1/2" 259 3/4" 260" 260 1/8" 260 1/4" 260 1/2" 260 3/4" 261" 261 1/8" 261 1/4" 261 1/2" 261 3/4" 262" 262 1/8" 262 1/4" 262 1/2" 262 3/4" 263" 263 1/8" 263 1/4" 263 1/2" 263 3/4" 264" 264 1/8" 264 1/4" 264 1/2" 264 3/4" 265" 265 1/8" 265 1/4" 265 1/2" 265 3/4" 266" 266 1/8" 266 1/4" 266 1/2" 266 3/4" 267" 267 1/8" 267 1/4" 267 1/2" 267 3/4" 268" 268 1/8" 268 1/4" 268 1/2" 268 3/4" 269" 269 1/8" 269 1/4" 269 1/2" 269 3/4" 270" 270 1/8" 270 1/4" 270 1/2" 270 3/4" 271" 271 1/8" 271 1/4" 271 1/2" 271 3/4" 272" 272 1/8" 272 1/4" 272 1/2" 272 3/4" 273" 273 1/8" 273 1/4" 273 1/2" 273 3/4" 274" 274 1/8" 274 1/4" 274 1/2" 274 3/4" 275" 275 1/8" 275 1/4" 275 1/2" 275 3/4" 276" 276 1/8" 276 1/4" 276 1/2" 276 3/4" 277" 277 1/8" 277 1/4" 277 1/2" 277 3/4" 278" 278 1/8" 278 1/4" 278 1/2" 278 3/4" 279" 279 1/8" 279 1/4" 279 1/2" 279 3/4" 280" 280 1/8" 280 1/4" 280 1/2" 280 3/4" 281" 281 1/8" 281 1/4" 281 1/2" 281 3/4" 282" 282 1/8" 282 1/4" 282 1/2" 282 3/4" 283" 283 1/8" 283 1/4" 283 1/2" 283 3/4" 284" 284 1/8" 284 1/4" 284 1/2" 284 3/4" 285" 285 1/8" 285 1/4" 285 1/2" 285 3/4" 286" 286 1/8" 286 1/4" 286 1/2" 286 3/4" 287" 287 1/8" 287 1/4" 287 1/2" 287 3/4" 288" 288 1/8" 288 1/4" 288 1/2" 288 3/4" 289" 289 1/8" 289 1/4" 289 1/2" 289 3/4" 290" 290 1/8" 290 1/4" 290 1/2" 290 3/4" 291" 291 1/8" 291 1/4" 291 1/2" 291 3/4" 292" 292 1/8" 292 1/4" 292 1/2" 292 3/4" 293" 293 1/8" 293 1/4" 293 1/2" 293 3/4" 294" 294 1/8" 294 1/4" 294 1/2" 294 3/4" 295" 295 1/8" 295 1/4" 295 1/2" 295 3/4" 296" 296 1/8" 296 1/4" 296 1/2" 296 3/4" 297" 297 1/8" 297 1/4" 297 1/2" 297 3/4" 298" 298 1/8" 298 1/4" 298 1/2" 298 3/4" 299" 299 1/8" 299 1/4" 299 1/2" 299 3/4" 300" 300 1/8" 300 1/4" 300 1/2" 300 3/4" 301" 301 1/8" 301 1/4" 301 1/2" 301 3/4" 302" 302 1/8" 302 1/4" 302 1/2" 302 3/4" 303" 303 1/8" 303 1/4" 303 1/2" 303 3/4" 304" 304 1/8" 304 1/4" 304 1/2" 304 3/4" 305" 305 1/8" 305 1/4" 305 1/2" 305 3/4" 306" 306 1/8" 306 1/4" 306 1/2" 306 3/4" 307" 307 1/8" 307 1/4" 307 1/2" 307 3/4" 308" 308 1/8" 308 1/4" 308 1/2" 308 3/4" 309" 309 1/8" 309 1/4" 309 1/2" 309 3/4" 310" 310 1/8" 310 1/4" 310 1/2" 310 3/4" 311" 311															

## 1" Drive Socket Sets

## M1115MM 1" Drive socket set

15 piece 1" drive metric 12 point socket set containing 560mm handle bar, 200 and 400mm extension bars as well as a ratchet head and T bar adaptor. Supplied in metal case with carrying handles. (680x210x110mm, 27.6 kilos)



Accessories	1" drive	Flip reverse ratchet head with quick release, 22" handle bar,T bar adaptor, 200 and 400mm extension bars			
Regular sockets	1" drive	12 point	36, 41, 46, 50, 55, 60, 65, 70, 75, 80mm		



Teng Tools - proud sponsors of speedway around the world.