




GENERAL INDUSTRY

The equipment used in industrial environments needs to be flexible and robust. Due to the many different work situations, the height worker must use equipment that is lightweight and easy to use in various applications and structures.

COURSES WE RECOMMEND

- # Fall Protection Basic Course
- # Rescue Basic




WORKER SERVICE

Fall Arrest Kit

The kit includes a Worker Base harness, a 2 meters double fall arrest lanyard and an anchor sling, all packed in a practical bag.

| | |
|-----------|-----------------|
| 012220031 | 2 m dubbel lina |
|-----------|-----------------|




FUSION PRO

Harness 1128

Fusion Pro is the first of our Fusion harnesses which is tested and approved for support and positioning without a belt.

| | |
|-----------|------|
| 012200171 | S/M |
| 012200173 | L/XL |
| 012200174 | XXL |



ARMUR SINGLE-H

SRL W2H

The Armur Single-H is one of the smallest and lightest self retractable lanyard on the market with scaffold hook. The self retractable lanyard is approved for horizontal use.

| | |
|-----------|-----|
| 012212207 | 2 m |
|-----------|-----|




SIMO+ S

Work Positioning Lanyard 2370

Support lanyard with soft one handed-adjusting grip and certified for both positioning and fall arrest.

| | |
|-----------|-----|
| 012204211 | 2 m |
|-----------|-----|




ARMUR+ SINGLE-S

SRL C10H

Armur + Single-S is a self retractable lanyard with galvanized steel wires that is approved for both vertical and horizontal use, making it suitable for work on roofs and in industries.

| | |
|-----------|------|
| 012212260 | 10 m |
|-----------|------|



ENERGY TWIN-FLEX H

Fall Arrest Lanyard 1302-TF

Energy Twin-Flex is a double fall arrest lanyard with flexible webbing for work in, for example, scaffolding, mobile platforms and industries.

| | |
|-----------|-------|
| 012203105 | 1.9 m |
|-----------|-------|

CONFINED SPACES



TRIPOD DB-A1

Tripod

DB-A1 is a tripod from IKAR made from aluminium with corrosion resistant coating and its adjustable square section legs have been designed for mobile use in conjunction with the HRA Rescue Device and/or winches. The tripod is robust and have a load carrying capacity of maximum 2 persons.

| | |
|-----------|------------------------------|
| 012280004 | DB-A1 |
| 012280012 | HRA Bracket for tripod DB-A1 |
| 012210076 | HRA (SRL / rescue winch) |




SEAT 6704

Seat for harness

Seat 6704 is a sit board with an aluminium core and adjustable straps. The equipment is well suited for you who are going to hang on a rope for a longer period of time when working in, for example, confined spaces or during other rope access work.

| | |
|-----------|----------|
| 012230296 | One-Size |
|-----------|----------|



More colours on our website

FUSION PRO+

Harness 1129

An innovative premium harness for maximum comfort and universal use in tough environments such as offshore industries. The design of the harness makes it suitable for work environments where the user does not want to feel restricted, but all-day safe in their workplace.

| | |
|-----------|------|
| 012200441 | S/M |
| 012200442 | L/XL |
| 012200443 | XXL |



R-ALF

Rescue Equipment

R-ALF is a rescue equipment with lifting and automatic locking function. The device have a mechanical advantage of 5:1 which reduces the applied force for lifting or lowering the person or load. R-ALF 5:1 is approved for loads up to 250kg and is suitable for rescue work, confined space and even positioning work.

| | |
|-----------|-----|
| 012231101 | 20m |
|-----------|-----|


RESCUE AND EVACUATION

COURSES WE RECOMMEND

- # Rescue Basic



RESQ




RED PRO X BASIC

Rescue and Evacuation Equipment

The RPX can handle most rescue scenarios in various industries and extreme environments, from evacuation from high heights, lifting from deep shafts to advanced rescues, the height worker can feel confident that the equipment performance is verified.

| | |
|--------------|-----|
| 087003111025 | 25m |
|--------------|-----|



ED PRO X BASIC

Evacuation Equipment

EPX is a intuitive and easy to use evacuation device for a applications within most areas. With a construction that ensures function at long and heavy descents and at the same time isolates heat from sensitive parts of the device.

| | |
|--------------|-----|
| 087601111025 | 25m |
|--------------|-----|

| | |
|--------------|-----|
| 087601111060 | 60m |
|--------------|-----|

Available in different solutions depending on environment and working methods. Contact Cresto Group for more information.



RESQ

ANNUAL INSPECTION

A fall protection product needs to undergo an annual inspection at least once every 12 months. You can leave your products to a certified competent person or Cresto Group, and we will check that they are approved for use.

On our website, you will find information on how and where to send your products for annual inspection.

INSPECTOR

With the help of Inspector, our online database, you don't have to keep track of when the annual inspection of your products and fall protection systems is to be carried out. Register your products and get reminders before the next examination. Smart, digital, accessible and safe.

Annual inspection, service and training performed by Cresto Group staff are documented in our online inspection database Inspector.

CRESTO GROUP
EXPECT MORE

CRESTOGROUP.COM

CRESTO GROUP AB

+46 35 710 75 00
support@crestogroup.com
crestogroup.com